

# Assessing Fitness to Drive 2021 review

May 2021

**Interim report**

# Report outline

---

<b>Title</b>	Assessing Fitness to Drive 2021 review
<b>Type of report</b>	Interim report
<b>Purpose</b>	For public consultation
<b>Abstract</b>	This report explains the proposed changes made to update <i>Assessing Fitness to Drive</i> .
<b>Submission details</b>	<p>The NTC will accept submissions until Friday 11 June 2021 online at <a href="http://www.ntc.gov.au">www.ntc.gov.au</a> or by mail to:</p> <p>National Transport Commission Public submission – Assessing Fitness to Drive 2021 review Level 3, 600 Bourke Street Melbourne VIC 3000</p>
<b>Attribution</b>	<p>This work should be attributed as follows, Source: National Transport Commission, <i>Assessing Fitness to Drive 2021 review: interim report</i>, NTC Melbourne.</p> <p>If you have adapted, modified or transformed this work in anyway, please use the following, Source: based on National Transport Commission, <i>Assessing Fitness to Drive 2021 review: interim report</i>, NTC, Melbourne.</p>
<b>Key words</b>	Medical standards, assessing fitness to drive, driver licensing, review of Transport Medical Standards
<b>Contact</b>	<p>National Transport Commission Level 3/600 Bourke Street Melbourne VIC 3000 Ph: (03) 9236 5000 Email: <a href="mailto:enquiries@ntc.gov.au">enquiries@ntc.gov.au</a> <a href="http://www.ntc.gov.au">www.ntc.gov.au</a></p>

# Have your say

---

## Who can participate?

---

We're accepting submissions and comments from organisations, individuals and government bodies, including:

- driver licensing authorities
- transport regulators
- medical and health professionals
- colleges and associations  
transport associations
- advocacy groups.

## What to submit

---

In your submission, please respond to one or all the questions on page 7. Where possible, please provide evidence, such as data, research or other documentation, to support your views.

If you are representing an organisation, please indicate your position in your organisation, and if relevant, specify at what level the submission has been authorised (branch, executive, president, sub-committee, executive committee, national body).

## When to submit

---

Submissions are open from 3 May 2021 to 11 June 2021.

## How to submit

---

 Visit [ntc.gov.au](https://ntc.gov.au) and select 'Have your say' on the homepage.

## Publishing your submission

Unless you clearly ask us not to, we publish all the submissions we receive online. We will not publish submissions that contain defamatory or offensive content.

The *Freedom of Information Act 1982* (Cwlth) applies to the NTC.

# Contents

---

<b>Report outline .....</b>	<b>2</b>
<b>Have your say .....</b>	<b>3</b>
<b>Summary .....</b>	<b>7</b>
<b>1 Introduction .....</b>	<b>10</b>
1.1 The report	10
1.2 Assessing Fitness to Drive	10
1.3 This review of Assessing Fitness to Drive	11
1.4 Project methodology – overview	11
<b>2 Part A and general issues.....</b>	<b>15</b>
2.1 Introduction to Part A and general issues raised	15
2.2 Inputs from stakeholders	15
2.3 Issues and recommended changes	16
2.3.1 Evidence base	17
2.3.2 The driving task and general guidance for a fitness-to-drive assessment	17
2.3.3 Examples of managing temporary conditions	17
2.3.4 Disability and driving	17
2.3.5 Multiple medical conditions and age-related change	17
2.3.6 Medicinal cannabis	18
2.3.7 Key roles and responsibilities with respect to fitness to drive	19
2.3.8 Role of the specialist	19
2.3.9 Considerations for commercial vehicle licensing	19
2.3.10 Conditional licences	19
2.3.11 Assessment and reporting process	19
2.4 Implications	19
<b>3 Part B (medical standards) .....</b>	<b>20</b>
3.1 Introduction to proposed Part B changes	20
3.2 Blackouts	20
3.2.1 Inputs	20
3.2.2 Issues and recommendations	20
3.2.3 Implications for stakeholders	20
3.2.4 Medical standards for licensing – syncope/blackouts (revised 2021)	22
3.3 Cardiovascular conditions	24
3.3.1 Inputs and review	24
3.3.2 Issues and recommendations	24
3.3.3 Implications for stakeholders	25
3.3.4 Medical standards for licensing – cardiovascular diseases (revised 2021)	26
3.4 Diabetes mellitus	51
3.4.1 Inputs and review	51
3.4.2 Issues and recommended changes	51
3.4.3 Implications for stakeholders	53
3.4.4 Medical standards for licensing – diabetes (revised 2021)	54
3.5 Hearing loss and deafness	57

3.5.1	Inputs and review	57
3.5.2	Issues and recommendations	57
3.5.3	Implications for stakeholders	58
3.5.4	Medical standards for licensing – hearing (revised 2021)	59
3.6	Musculoskeletal conditions	61
3.6.1	Inputs	61
3.6.2	Issues and recommendations	61
3.6.3	Implications for stakeholders	62
3.6.4	Medical standards for licensing – musculoskeletal conditions (revised 2021)	63
3.7	Neurological conditions	64
3.7.1	Inputs and review	64
3.7.2	Dementia – issues and recommendations	64
3.7.3	Seizures and epilepsy – issues and recommendations	64
3.7.4	Other neurological and neurodevelopmental conditions – issues and recommendations	66
3.7.5	Implications for stakeholders	67
3.7.6	Medical standards for licensing – dementia and other cognitive impairment (revised 2021)	68
3.8	Psychiatric conditions	90
3.8.1	Inputs and issues	90
3.8.2	Issues and recommendations	90
3.8.3	Implications for stakeholders	91
3.8.4	Medical standards for licensing – psychiatric disorders (revised 2021)	93
3.9	Sleep disorders	95
3.9.1	Inputs and review	95
3.9.2	Issues and recommendations	95
3.9.3	Implications for stakeholders	96
3.9.4	Medical standards for licensing – sleep disorders (revised 2021)	97
3.10	Substance misuse	99
3.10.1	Inputs and review	99
3.10.2	Issues and recommendations	99
3.10.3	Implications for stakeholders	100
3.10.4	Medical standards for licensing – substance misuse (revised 2021)	101
3.11	Vision and eye disorders	103
3.11.1	Inputs and review	103
3.11.2	Issues and recommendations	103
3.11.3	Implications for stakeholders	106
3.11.4	Other issues	106
3.11.5	Medical standards for licensing – vision and eye disorders (revised 2021)	107
<b>4</b>	<b>Part C (Appendices)</b>	<b>111</b>
<b>5</b>	<b>Out-of-scope issues</b>	<b>112</b>
5.1	Introduction to out-of-scope issues	112
5.2	General issues	112
5.2.1	Mandatory reporting	112
5.2.2	Implementation and publication of Assessing Fitness to Drive	112
5.2.3	Fitness for duty of commercial vehicle drivers	113

5.2.4	Programs and services to support medical assessment and drivers	113
5.2.5	Forms	113
5.2.6	Medical panels	114
5.2.7	Medical exams for licensing and renewal	114
5.3	Medical issues	114
5.3.1	Cardiovascular conditions	114
5.3.2	Diabetes	115
5.3.3	Sleep disorders	115
5.3.4	Substance misuse	115
5.3.5	Vision	116
<b>6</b>	<b>Coronial findings summary .....</b>	<b>117</b>
6.1	Introduction	117
6.2	Summary of cases	117
6.2.1	Epilepsy/seizures	117
6.2.2	Cardiac	118
6.2.3	Multiple medical conditions	118
6.2.4	Diabetes	118
6.2.5	Sleep	118
6.2.6	Age-related decline	119
6.2.7	Dementia	119
6.3	Conclusion	119
<b>Appendix A</b>	<b>Advisory group members.....</b>	<b>120</b>
<b>Appendix B</b>	<b>Targeted consultation contributing organisations.....</b>	<b>121</b>
<b>Appendix C</b>	<b>Condition-specific road safety literature analysis.....</b>	<b>123</b>
	Autism spectrum disorders and motor vehicle crash risk	123
	Chronic fatigue syndrome and motor vehicle crash risk	126
	Chronic pain and motor vehicle crash risk	128
	Dissociative events/episodes and motor vehicle crash risk	130
	Haemodialysis for kidney disease and motor vehicle crash risk	131
	Psychogenic non-epileptic seizures (PNES) and motor vehicle crash risk	133
	Vestibular disorders and motor vehicle crash risk	135

# Summary

---

*Assessing Fitness to Drive – Commercial and Private Vehicle Drivers* is a joint publication of Austroads and the National Transport Commission (NTC). It contains nationally agreed medical standards for the purposes of driver licensing. The NTC has reviewed *Assessing Fitness to Drive* to: address issues raised by stakeholders; ensure the standards reflect current medical evidence and best practice; and meet the practical needs of private and commercial vehicle drivers. The review also considered the application and clarity of the guidelines, along with associated administrative issues.

This report was developed to explain the changes to the *Assessing Fitness to Drive* guidelines. It covers general issues, followed by a chapter-by-chapter description of medical changes, then changes made to the appendices. The last section addresses issues that are out of scope. This report should be read in conjunction with the revised *Assessing Fitness to Drive* publication.

The NTC circulated an initial consultation paper in September 2020 requesting stakeholder feedback on the 2016 version of *Assessing Fitness to Drive*. We received valuable feedback from a wide range of stakeholders including medical practitioners and other health professionals, consumer health organisations, government transport departments, driver licensing authorities, operators and peak industry bodies. We carefully considered all feedback in developing the revised guidelines. Further input was sought from various medical and allied health experts and transport stakeholders. Findings of accident investigations and recent research were also considered.

Changes in the current review are limited to advancements reflecting scientific and medical consensus to manage safety risk for conditions, enhancing the clarity and interpretation, and therefore support consistent implementation. The implications for all stakeholders, including health professionals, driver licensing authorities and drivers, will be that there will be consistency in patient/driver management through improvements in clarity and decision support. A summary of the major changes are detailed in Table 1.

During our consultation, stakeholders have commented on a range of matters outside the project scope but still relevant to *Assessing Fitness to Drive*. These were predominantly administrative issues and suggestions on where the standards could apply, including employment settings. In response to these, the exploration of future work, outside the current revising of *Assessing Fitness to Drive*, is being considered.

- Question 1:** Are the proposed changes to *Assessing Fitness to Drive* appropriate? Please comment on matters relevant to the topic and provide evidence (i.e., data, research or documentation) to support your views. Where possible, also provide a proposed solution (i.e., corrective wording) to the issues identified.
- Question 2:** Please describe your experience using the current *Assessing Fitness to Drive* medical criteria or supporting information. What sections or content are most valuable? How could the document and support materials be improved?
- Question 3:** What support or training could be provided to health care professionals to increase usage and knowledge of the guidelines?



**Table 1. Summary of changes to medical criteria**

Chapter	Criteria change (yes/no)	Detail of change to criteria (tables only)
Blackout	No	
Cardiovascular conditions	Yes	<p><b>Implantable cardioverter defibrillator</b></p> <p>Conditional licensing criteria are provided for commercial medical standards, reflecting new evidence on the risk profile of these devices.</p> <p><b>Biventricular assist devices (BiVADs)</b></p> <p>New criteria have been developed to cover BiVADs. A conditional licence may be considered for a private driver requiring a BiVAD subject to meeting several criteria. Ventricular assist devices of any type are not acceptable for commercial vehicle driving.</p>
Diabetes mellitus	No	
Hearing loss and deafness	No	
Musculoskeletal conditions	Yes	<p><b>Considering conditional licensing</b></p> <p>Medication effects and condition stability are emphasised as factors the health practitioner may consider in their assessment.</p>
Neurological conditions – dementia	No	
Neurological conditions – seizures and epilepsy	Yes	<p><b>When EEG is required</b></p> <p>For the relevant commercial medical standards, it has been emphasised that EEG demonstrating no epileptiform activity is only required on initial granting of the conditional licence and not for the ongoing periodic review.</p> <p><b>Resumption of unconditional licence after first seizure and acute symptomatic seizures</b></p> <p>Assessment criteria and shorter timeframes for resumption of driving on an unconditional licence have been added to these private and commercial medical standards.</p> <p><b>Description of psychogenic non-epileptic seizures (PNES)</b></p> <p>Medical standards have been included to assess people whose seizures are diagnosed as psychogenic (pseudo-seizures). The private medical standards include details on non-driving periods, criteria to consider conditional licensing, and a description of the treating specialists. No commercial standards are set and the default seizure standard applies.</p> <p><b>Description of ‘safe’ seizures</b></p> <p>Explanatory text has been added to describe a type of seizure that can be managed to the ‘safe’ seizure medical standard.</p> <p><b>Assessment of provoking factors</b></p> <p>A clarification is included detailing that sleep deprivation should not be considered a provoking factor in the private standards for seizure in a person whose epilepsy was previously well controlled.</p> <p><b>Criteria for unreliable or doubtful clinical information</b></p> <p>Assessment criteria have been included for private and commercial</p>



Chapter	Criteria change (yes/no)	Detail of change to criteria (tables only)
		<p>medical standards for circumstances where the clinical information is unreliable or doubtful. A conditional licence should not be considered when the person provides unreliable or doubtful clinical information.</p> <p><b>Clarifications on medication withdrawal or changes in dosage</b></p> <p>A note has been added to explain the circumstances for applying the planned withdrawal of one or more antiepileptic medication standards. A clarification is included to help assess changes in medication dosage due to temporary situations.</p> <p><b>Applying the seizure and reduction criteria</b></p> <p>Direction has been provided for applying the standards when multiple criteria for reductions are present, including the exceptional and resumption on unconditional licensing criteria.</p>
Other neurological and neurodevelopmental conditions	Yes	<p><b>Stroke</b></p> <p>For private vehicle drivers, the requirement for further specialist assessment four weeks following a stroke has been removed when the person has been discharged from specialist care with no neurological deficit or residual minor symptoms that would cause functionally significant impairments for driving.</p>
Psychiatric conditions	Yes	<p><b>Periodic review by a health practitioner</b></p> <p>Periodic reviews performed by a person's general practitioner may be considered under the commercial standards. The psychiatrist must still perform the initial assessment.</p>
Sleep disorders	No	
Substance misuse	Yes	<p><b>Fitness for unconditional and conditional licences</b></p> <p>The criteria for unconditional licensing have been expanded to clarify the existing standards for assessment and driving fitness in alcohol use disorders.</p> <p><b>Periodic review by a health practitioner</b></p> <p>Periodic reviews performed by a person's general practitioner may be considered under the commercial standards. The specialist must still perform the initial assessment.</p>
Vision and eye disorders	Yes	<p><b>Visual acuity</b></p> <p>Orthokeratology therapy can be used to meet the standards for a conditional licence. They are managed similarly to corrective lenses.</p> <p><b>Diplopia</b></p> <p>Clarification on the criteria for experiencing diplopia within central fixation.</p>

# 1 Introduction

---

The *Assessing Fitness to Drive* medical standards and guidelines are produced by the National Transport Commission (NTC) and Austroads. The guidelines' primary purpose is to increase road safety in Australia by helping health professionals to:

- assess the fitness of their patients to drive
- promote responsible behaviour of their patients with respect to their health and driving
- conduct medical examinations for licensing of drivers as required by driver licensing authorities
- provide information to inform conditional licence decisions.

The guidelines also aim to provide guidance to licensing authorities in making licensing decisions.

*Assessing Fitness to Drive* was last published in March 2016, with minor corrections in 2017. Since the last publication there have been medical, legal and social developments that may require changes to the medical standards to ensure they are accurate and reflect current practices. As part of the review of *Assessing Fitness to Drive* the NTC asked relevant stakeholders to identify issues and provide feedback on whether the guidelines are meeting their intended purpose.

## 1.1 The report

---

This report explains the changes to *Assessing Fitness to Drive* from the last published version in 2016 (and amended in 2017), incorporating changes made in response to consultations in November 2020. This is done through a discussion of general issues, followed by a chapter-by-chapter description of medical changes, then changes made to the appendices. The last section addresses out-of-scope issues that have been raised in the course of the review.

This report is written to be read in conjunction with the guidelines.

## 1.2 Assessing Fitness to Drive

---

*Assessing Fitness to Drive* contains medical standards for the purposes of driver licensing. It aims to improve road safety in Australia by addressing the impact of drivers' health on their ability to drive. Private and commercial vehicle drivers must meet certain medical standards to ensure their health status does not increase the risk of a crash in which they or other road users may be killed or injured.

The standards comprise two main parts. Part A provides general guidance to health professionals in assessing their patients' fitness to drive. Part B sets out the medical standards for specific health areas.

Medical professionals should use these standards to provide advice to patients who drive cars, heavy vehicles, vans, motorcycles and public passenger vehicles. It is the responsibility of the driver to notify their relevant driver licensing authority of any relevant medical issues; however, in some instances medical professionals will have direct contact with driver licensing authorities. These standards are also used by all driver licensing authorities in making decisions about driver licensing.

## 1.3 This review of Assessing Fitness to Drive

---

Since 2016, when *Assessing Fitness to Drive* was last fully reviewed, there have been medical advances, and users have gained valuable practical experience in applying the standards. The objective of this project was to review the medical standards contained in *Assessing Fitness to Drive* to ensure they reflect current medical best practice and meet the practical needs of private and commercial vehicle drivers. This will continue to improve road safety outcomes through ensuring that drivers are medically fit to drive safely.

The scope of the review included a review of the introductory content (Part A) and the medical chapters/criteria (Part B) to ensure currency and accuracy. In conducting the review the NTC took into account:

- advances in medical knowledge
- new issues affecting medical standards for drivers
- changes to the driving environment and policies
- stakeholder feedback on the operation of the current standards and guidelines
- findings of recent coronial and other inquiries
- corrections needed to any of the text where mistakes were identified, or where information was out of date (and required updating).

The project involved a review and amendment of the medical standards only; however, it did not involve new research into gaps in knowledge about medical conditions. It also did not review the administrative arrangements relating to the application of the standards. In particular this includes:

- the issue of mandatory reporting by doctors to the driver licensing authority when patients have certain conditions
- variations between jurisdictions, particularly with implementation criteria
- any significant shifts in the application of the medical standards.

## 1.4 Project methodology – overview

---

The review aimed to develop updated endorsed medical standards and supporting guidelines for Ministerial Council approval. This has involved the following main tasks:

- undertaking consultation with all relevant stakeholders
- contracting consultants to undertake specialist tasks and provide expert advice on medical advances
- undertaking an environmental scan to ensure all coronial or other inquiry recommendations have been identified
- seeking advice from the regulating jurisdictions and other stakeholders about the particular issues needing attention
- bringing together a range of targeted stakeholders in the project advisory group (including medical professionals, driver licensing authorities and peak industry bodies) to obtain overarching advice for the review
- analysing responses and liaising with medical and other stakeholder groups, including setting up working groups to secure adequate input
- seeking advice from the Office of Best Practice Regulation regarding regulatory impact statement requirements
- preparing drafts of the revised documents

- circulating drafts of the revised documents for comment
- seeking endorsement from various medical societies
- seeking endorsement from the Infrastructure and Transport Senior Officials' Committee
- sending final documents and approved regulatory impact statement (if required) to the Infrastructure and Transport Ministers Meeting for approval.

Based on these requirements, the project has occurred in six phases as described below and as shown in Figure 1.

### **Phase 1: Project preparation (August 2020)**

This phase was the sole responsibility of the NTC and involved developing a:

- project plan
- stakeholder consultation and engagement plan
- governance plan.

### **Phase 2: Issue identification (September 2020 – November 2020)**

This phase is complete and was undertaken by the NTC. It involved:

- a targeted stakeholder consultation via a survey to identify issues with the guidelines and appropriate changes to the medical standards. Stakeholder groups included:
  - licensing and registration agencies
  - medical expert institutions
  - medical specialist organisations
  - patient/public health groups
  - industry associations
- reviewing relevant reports including coronial reports
- establishing the project advisory group
- compiling a log describing the issues, whether they were considered within the scope of the review and proposed processes for resolution
- engaging medical specialists for issue review
- developing a project plan for addressing the submitted issues
- reviewing these outputs (issues log and project plan) by the project advisory group.

### **Phase 3: Issues resolution and revisions to the standard (December 2020 – April 2021)**

This phase is complete. It was undertaken by the NTC and involved:

- liaison with experts (including medical colleges) and other stakeholders based on the issues identified and the project plan
- preparation of a definitive issues log including proposed resolutions
- advice from the Office of Best Practice Regulation about regulatory impact statement requirements
- a discussion report describing the proposed changes and the rationale, as a basis for public consultation
- draft revisions to *Assessing Fitness to Drive*
- a review of the outputs (issues log, discussion report and draft standards) by the advisory group.

#### **Phase 4: Public consultation and expert endorsement**

This phase is underway and is being undertaken by the NTC, including:

- public consultation regarding the discussion paper and draft standards
- response to public consultation including updating the issues log, discussion paper and draft standard as required
- reviewing these outputs (issues log, discussion paper and draft standard) by the project advisory group
- endorsement of the draft standard by health professional organisations.

#### **Phase 5: Approval**


This phase will be undertaken by the NTC and will involve:

- endorsement from the Infrastructure and Transport Senior Officials' Committee
- approval from the Infrastructure and Transport Ministers Meeting.

#### **Phase 6: Publication**

It is proposed that this phase be undertaken by Austroads and the NTC and involve:

- editing
- design
- distribution
- promotion.



## 2 Part A and general issues

---

### 2.1 Introduction to Part A and general issues raised

---

This section describes the feedback and changes to Part A of the guidelines as well as general issues relating to the publication overall. Part A provides general guidance to health professionals in assessing their patients' fitness to drive.

### 2.2 Inputs from stakeholders

---

A number of stakeholders provided submissions addressing this section (refer to Box 1). The majority of feedback on Part A related to providing clarity of existing information, editorial matters and updating information that was out of date. Stakeholders also commented on the issue of access to specialists and practical driver assessments.

Some issues raised were deemed to be out of scope, and these are discussed in section 5.



## **Box 1. Stakeholders that commented on Part A issues**

### ***Driver licensing authorities and transport regulators***

- Department of Transport and Main Roads (Qld)
- Department of Transport (WA)
- Department of Transport (Vic)
- National Heavy Vehicle Regulator
- Transport for NSW

### ***Medical and health professionals, colleges and associations***

- Australian and New Zealand Association of Neurologists
- Australian and New Zealand College of Anaesthetists
- Australian and New Zealand Society of Occupational Medicine
- Australian Medical Association
- Dementia Australia
- Epilepsy Action Australia
- Epilepsy Society of Australia
- Occupational Therapy Australia
- Orthoptics Australia
- MS Australia
- Royal Australasian College of Physicians
- Royal Australian and New Zealand College of Psychiatrists
- Royal College of Pathologists of Australasia
- Rural Doctors Association of Australia
- Victorian Institute of Forensic Medicine

### ***Motoring clubs, transport associations and advocacy groups***

- Royal Automobile Club of Tasmania
- Royal Automobile Association
- National Inclusive Transport Advocacy Network
- NatRoad

## **2.3 Issues and recommended changes**

---

The following section provides a summary of the key changes made to Part A in response to stakeholder feedback.

### 2.3.1 Evidence base

Part A has been updated to refer to the Monash University Accident Research Centre (MUARC) report *Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition*. This report was a key input to the *Assessing Fitness to Drive* guideline update.

### 2.3.2 The driving task and general guidance for a fitness-to-drive assessment

Proprioception and kinesthesia were included as sensory input factors relevant to the driving task. In addition, the effect of substance misuse, mental workload and distraction have also been added to *Box 1: Factors affecting driving*.

### 2.3.3 Examples of managing temporary conditions

A stakeholder requested that 'sedation' be added to the anaesthesia example in Table 1. This section was updated as requested to include sedation as a potential impact on driving and the associated management guidelines.

Table 1 was also updated to include new drugs/medication regimens or undergoing some treatments (e.g. radiation therapy) as another example of a temporary condition that may require a period of abstinence from driving.

### 2.3.4 Disability and driving

Feedback was received from several stakeholders that the 2016 *Assessing Fitness to Drive* guidelines do not adequately describe the impact of a disability on fitness to drive or the available services to assist this cohort.

In response to this feedback, section 2.2.7 has been expanded from 'Congenial conditions' to 'Congenial conditions, disability and driving'. The amended section aims to provide clarity that the capacity to perform the driving task may be impacted by the presence of a disability and the associated action required by health professionals to assess disabilities. This section also includes a summary of the role of the NDIS in relation to *Assessing Fitness to Drive* and support services and provides a link for further information.

These changes aim to address concerns raised by stakeholders that *Assessing Fitness to Drive* does not provide enough information about fitness to drive for conditions other than a medical or chronic illness.

### 2.3.5 Multiple medical conditions and age-related change

*Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition* has provided additional research evidence about motor vehicle crash (MVC) risk in relation to the interaction of multiple medical conditions. Therefore, section 2.2.9 has been updated to reflect this new information.

The text in relation to age-related change has also been expanded and separated into its own section (section 2.2.8 Older drivers and age-related changes). The section highlights the impacts of fitness to drive on older drivers and provides further information on how to assess these drivers. Reference has been included to existing Royal Australian College of General Practitioners clinical guidelines for managing the health of older people, which includes information on early detection activities that may assist in evaluating sensory, cognition and motor function. Other dedicated resources that may assist in the holistic evaluation of older drivers are referenced.

In addition, the 'general principles' for assessing patients with multiple medical conditions has been moved into a new section (section 2.2.1 Assessing medical conditions and driving) and are provided as general principles for conducting the fitness-to-drive assessment. This change ensures the general principles are more prominent within the document.

Further, to improve readability, separate headings have been included to clearly distinguish between the text relevant to 'multiple medical conditions' and 'age-related change'.

### 2.3.6 Medicinal cannabis

A working group was established to consider the content required to assist medical professionals and driver licensing authorities understand the implications of prescription medicinal cannabis use on the driving task and to provide suitable guidance to manage road safety risks. The working group considered the available evidence, medical practice and policy settings against key areas to develop this content. The working group members were:

Name	Organisation
Shruti Navathe	Access Canberra
David Sutton	Department for Infrastructure and Transport (SA)
Scott Swain	Department for Infrastructure and Transport (SA)
Sharon Wishart	Department of Transport (Vic)
Tim Umbers	Department of Transport (Vic)
Amie Buisman	Department of Transport (WA)
Sussan Osmond	Department of Transport and Main Roads (Qld)
Prof. Iain McGregor	Lambert Initiative for Cannabinoid Therapeutics, The University of Sydney
Dr Tamara Nation	National Institute of Integrative Medicine
Dr Jeff Potter	National Transport Commission
Jonathan Davey	National Transport Commission
Mandi Mees (Chair)	National Transport Commission
Tim Davern	National Transport Commission
A/Prof. Vicki Kotsirilos	NICM, University of Western Sydney
Adelaide Jones	Office of Road Safety (Commonwealth)
Prof. Yvonne Bonomo	St Vincent's Hospital Melbourne, The University of Melbourne
Prof. Edward Ogden	St Vincent's Hospital Melbourne, Swinburne University
Sally Millward	Transport for NSW (NSW)
Dr Sanjeev Gaya	Victorian Institute of Forensic Medicine

The guidance for medicinal cannabis is included in section 2.2.10 Drugs and driving.

Information about the requirements for alcohol interlocks has been updated and additional information has also been included to provide further guidance and information on the use of opiates.

### 2.3.7 Key roles and responsibilities with respect to fitness to drive

Additional information has been included in *Table 2: Key roles and responsibilities with respect to fitness to drive* to clarify the obligations of drivers, health professionals and driver licensing authorities. Changes have also been made to Table 2 to include a specific reference to *disability* and *treatments*. This aims to ensure a disability is considered independently to a medical condition.

*Figure 2: The relationships and interactions between the driver licensing authority, health professional and vehicle driver* has been updated to clarify that health professionals should advise patients if a medical condition, treatment or drink/drug driving behaviours impact on their ability to drive safely, whether in the short or long term. Information has also been included to clarify appropriate communication between health professionals and driver licensing authorities in the event of a health professional becoming aware of unreliable information provided by the driver.

### 2.3.8 Role of the specialist

This section has been updated to direct treating specialists to share their fitness-to-drive assessment outcomes with the patient's general practitioner. This is in recognition of the important role general practitioners have in healthcare coordination and monitoring of long-term health conditions as well as potential road safety and public health implications.

Specific reference has also been included to reflect that Fellows of the Australian College of Rural and Remote Medicine also have specialist status.

Furthermore, *Box 2: Telehealth* has been updated to reflect the recent changes to telehealth services.

### 2.3.9 Considerations for commercial vehicle licensing

Information has been added in *Table 3: Choice of standard according to vehicle/licence type* to provide clarity around which standards apply to emergency service or first responder vehicle drivers including ambulance, fire and police.

### 2.3.10 Conditional licences

Additional information has been included and further examples are provided throughout this section to help improve understanding of licence conditions and restrictions.

### 2.3.11 Assessment and reporting process

Various updates were made to this section to improve awareness of the online version of the medical report that health professionals can use.

## 2.4 Implications

---

Changes to Part A are expected to improve the application of *Assessing Fitness to Drive* by driver licensing authorities and health professionals.

## 3 Part B (medical standards)

---

### 3.1 Introduction to proposed Part B changes

---

This section summarises the changes made to each of the medical standards in *Assessing Fitness to Drive*.

Each chapter describes the inputs received through stakeholder consultation, including formal submissions and ongoing consultation with relevant experts. The focus of this section is on inputs relating to the medical standards. Where relevant, reference is made to the changes resulting from the 2012 or 2016 review to provide context. A proportion of stakeholder feedback related to clarity and minor editorial matters were actioned but are not discussed in these sections. Updates and additional materials related to the evidence for the impact of a condition on driving and evidence of road safety risk have been incorporated into chapters and referenced in these chapters.

### 3.2 Blackouts

---

#### 3.2.1 Inputs

Submissions were received from a number of stakeholders (refer to the list below). The review process involved ongoing formal consultation with the Epilepsy Society of Australia and the Australian and New Zealand Association of Neurologists via its representative Prof. Ernest Somerville.

Stakeholder submissions
<b><i>Driver licensing authorities and transport regulators</i></b> <ul style="list-style-type: none"><li>• Transport for NSW and Roads and Maritime Services</li><li>• Department of Transport (Vic)</li></ul>
<b><i>Medical/health professional stakeholders</i></b> <ul style="list-style-type: none"><li>• Australian and New Zealand Association of Neurologists</li><li>• Epilepsy Society of Australia</li></ul>

#### 3.2.2 Issues and recommendations

##### **Blackouts of undetermined nature that cause a motor vehicle crash**

Submissions were received to consider applying restrictions for blackouts of undetermined nature that cause an MVC. The proposed change would align these standards with those for seizures that cause an MVC. This change would enforce that a blackout causing a crash will have a 12-month and 10-year non-driving period for private and commercial standards, respectively. The advisory group noted that there would be significant issues in practically applying this restriction due to the uncertainty surrounding the aetiology of these blackouts and challenges with accurately determining the occurrence and sequencing of the blackout and MVC. There has been no change.

The requests to highlight the non-driving periods in the standards table were addressed.

#### 3.2.3 Implications for stakeholders

##### **Driver licensing authorities**

There are no major changes to this section.

### **Health professionals**

There are no major changes to this section.

### **Drivers**

There are no major changes to this section.

### 3.2.4 Medical standards for licensing – syncope/blackouts (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Blackouts</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has experienced blackouts that cannot be diagnosed as syncope, seizure or another condition.</li> </ul> <p>If there has been a <b>single blackout</b> or more than one blackout within a 24-hour period, a <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there have been no further blackouts for at least <b>six months</b>.</li> </ul> <p>If there have been <b>two or more blackouts</b> separated by at least 24 hours, a <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there have been no further</li> </ul>	No change	<p><b>Blackouts</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has experienced blackouts that cannot be diagnosed as syncope, seizure or another condition.</li> </ul> <p>If there has been a <b>single blackout</b> or more than one blackout within a 24-hour period, a <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by an <b>appropriate specialist</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there have been no further blackouts for at least <b>five years</b>.</li> </ul> <p>If there have been <b>two or more blackouts</b> separated by at least 24 hours, a <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by an <b>appropriate specialist</b></p>	No change



PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
blackouts for at least <b>12 months</b> .		as to whether the following criterion is met: <ul style="list-style-type: none"> <li>there have been no further blackouts for at least <b>10 years</b>.</li> </ul>	
<b>Exceptional cases</b> Where a person with one or more blackouts of undetermined mechanism does not meet the standards above for a conditional licence but may, in the opinion of the treating specialist, be safe to drive, a <b>conditional licence</b> may be considered by the driver licensing authority, subject to at least <b>annual review</b> : <ul style="list-style-type: none"> <li>if the driver licensing authority, after considering information provided by the <b>treating specialist/s</b>, considers that the risk of a crash caused by a blackout is acceptably low.</li> </ul>	No change.	<b>Exceptional cases</b> Where a person with one or more blackouts of undetermined mechanism does not meet the standards above for a <b>conditional licence</b> but may, in the opinion of the treating specialist, be safe to drive, a <b>conditional licence</b> may be considered by the driver licensing authority, subject to at least <b>annual review</b> : <ul style="list-style-type: none"> <li>if the driver licensing authority, after considering information provided by the <b>treating specialist/s</b>, considers that the risk of a crash caused by a blackout is acceptably low.</li> </ul>	No change.

## 3.3 Cardiovascular conditions

### 3.3.1 Inputs and review

Submissions were received from a number of stakeholders (refer to the list below). The review process involved ongoing formal consultation with the Cardiac Society of Australia and New Zealand via its representative, Dr Ken Hossack.

Stakeholder submissions
<b><i>Driver licensing authorities and transport regulators</i></b> <ul style="list-style-type: none"><li>• Department for Infrastructure and Transport (SA)</li><li>• Department of Transport (Vic)</li></ul>
<b><i>Medical/health professional stakeholders</i></b> <ul style="list-style-type: none"><li>• Australian and New Zealand Society of Occupational Medicine</li><li>• Victorian Institute of Forensic Medicine</li></ul>
<b><i>Industry stakeholders</i></b> <ul style="list-style-type: none"><li>• Australian Trucking Association</li><li>• NatRoad</li></ul>

### 3.3.2 Issues and recommendations

#### Implantable cardioverter defibrillators (ICD)

During previous reviews, submissions were received proposing to relax the standard regarding ICDs, which did not allow their use in commercial vehicle drivers. In particular it was identified that ICDs may be inserted for prophylaxis rather than to treat a diagnosed arrhythmia. During both reviews it was determined that the restriction should remain because the incidence of ICD discharge and risk for the driver to lose control of the vehicle was considered unacceptably high.

Further submissions were received in the current review, noting advances in device technology and medical care. Licensing criteria were requested to identify and manage drivers with a lower risk profile treated for prophylaxis who could be considered as an exceptional circumstance. Medical specialist advice confirmed that the restriction should remain for treatment of arrhythmia. Recent studies suggest lower rates of shock frequency and syncope in patients where ICD is used for prophylaxis. Criteria for conditional licensing are set, reflecting this evidence and incorporate patient- and condition-specific factors. The criteria considers the driving task, non-driving and review periods, incidence of device discharge or pacing, and several clinical features.

#### Ventricular assisted devices (VAD)

During the previous review, licensing standards were included for private drivers with left VAD. Drivers with a combined LVAD/RVAD (BiVAD) or an artificial heart, and commercial drivers requiring any type of these devices, were not fit to drive due to concerns about device failure and loss of vehicle control.

Further submissions have been received seeking an expansion of standards for conditional licences to include BiVAD. The submissions noted outcomes reported from the four hospitals in Australia implanting VADS and international experience concluding that driving with an LVAD is safe. Medical specialist advice supported this submission. Patients with BiVADs cannot be considered at significantly higher risk than those with

LVADs, noting the unlikelihood of both devices simultaneously failing. Criteria are included for BiVADs under the private medical standards for consideration of a conditional licence. Commercial drivers requiring these devices are not fit to drive. Appropriate text and criteria have been added.

### **Congenital disorders**

A submission was received requesting the licensing criteria be updated to reflect the current standards of medical care for congenital disorders. Based on medical specialist advice, criteria are provided to support the assessment of disorders treated with surgery. Non-driving periods are outlined in this guidance.

### **Other edits**

On advice from the medical specialist, some of the condition examples were expanded for clarification.

## **3.3.3 Implications for stakeholders**

### **Driver licensing authorities**

The conditional licensing criteria for ICDs will assist driver licensing authorities in considering these cases and support a consistent implementation of the standards. The expansion of the criteria for BiVADs will have little impact on the work of driver licensing authorities. Other changes are minor and will have no impact on implementation.

### **Health professionals**

The changes to criteria for ICDs will give health professionals clear criteria for assessing and managing their patients. The expanded criteria for BiVADs provide clarity for health professionals managing this small group of patients. Other changes are minor and will have no impact on implementation.

### **Drivers**

The changes to the criteria for ICDs will enable a small number of patients to continue driving and provide clarity and greater certainty for how their conditions will be assessed. The new criteria for BiVADs provide clarity for this group of patients. Other changes are minor and will have no impact on implementation.

### 3.3.4 Medical standards for licensing – cardiovascular diseases (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Acute myocardial infarction (AMI)</b></p> <p><b>The person should not drive for at least two weeks after an AMI.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had an AMI.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least two weeks after an uncomplicated AMI; <b>and</b></li> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> <p>Fitness thereafter should be assessed in terms of general convalescence.</p>	<p><b>Acute myocardial infarction (AMI)</b></p> <p>No change.</p>	<p><b>Acute myocardial infarction (AMI)</b></p> <p><b>The person should not drive for at least four weeks after an AMI.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had an AMI.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least four weeks after an uncomplicated AMI; <b>and</b></li> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there is an exercise tolerance of <math>\geq 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent functional exercise test protocol; <b>and</b></li> <li>there is no evidence of severe ischaemia, i.e. less than 2 mm ST segment depression on an exercise ECG or, a reversible regional wall abnormality on an exercise stress echocardiogram or, absence of a large defect on a stress perfusion</li> </ul>	<p><b>Acute myocardial infarction (AMI)</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		scan; <b>and</b> <ul style="list-style-type: none"> <li>there is an ejection fraction of 40% or over; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	
<b>Angina</b> A person with angina, which is usually absent on mild exertion, and who is compliant with treatment may drive without licence restriction and without notification to the driver licensing authority, subject to periodic monitoring. A person is <b>not</b> fit to hold an <b>unconditional licence</b> : <ul style="list-style-type: none"> <li>if the person is subject to angina pectoris at rest or on minimal exertion despite medical therapy, or has unstable angina.</li> </ul> A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b> , taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met: <ul style="list-style-type: none"> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	<b>Angina</b> No change.	<b>Angina</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b> : <ul style="list-style-type: none"> <li>if the person is subject to angina pectoris.</li> </ul> A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b> , taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met: <ul style="list-style-type: none"> <li>either or both:               <ul style="list-style-type: none"> <li>there is an exercise tolerance of <math>\geq 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent functional exercise test protocol;</li> <li>a resting or stress echocardiogram, or a myocardial perfusion study, or both, show no evidence of ischaemia; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> </li> </ul>	<b>Angina</b> No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		<p><b>Myocardial ischaemia</b>            If myocardial ischaemia is demonstrated, a coronary angiogram may be offered.</p> <p>A <b>conditional licence</b> may be considered, subject to <b>annual review</b> if the following criterion is met:</p> <ul style="list-style-type: none"> <li>the coronary angiogram (invasive or CT) shows lumen diameter reduction of less than 70% in a major coronary branch, and less than 50% in the left main coronary artery.</li> </ul> <p>If the result of the angiogram shows a lumen diameter reduction of equal to or greater than 70% in a major coronary branch and less than 50% in the left main coronary artery (or if an angiogram is not conducted), a <b>conditional licence</b> may be considered, subject to <b>annual review</b>, if the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is an exercise tolerance of <math>\geq 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent functional exercise test protocol; <b>and</b></li> <li>there is no evidence of severe ischaemia, – that is, less than 2 mm ST segment depression on an exercise ECG or, a reversible regional wall abnormality on an exercise stress echocardiogram or, absence of a large defect on a stress</li> </ul>	

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		<p>perfusion scan; <b>and</b></p> <ul style="list-style-type: none"> <li>there is an ejection fraction of 40% or over; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> <p>The above criteria also apply if an angiogram is not conducted.</p> <p>Where surgery or PCI is undertaken to relieve the angina, the requirements listed in the table on page 55 apply.</p>	
<p><b>Coronary artery bypass grafting (CABG)</b></p> <p><b>The person should not drive for at least four weeks after CABG.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires or has had CABG.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least <b>four weeks</b> after CABG; <b>and</b></li> <li>there is satisfactory response to</li> </ul>	<p><b>Coronary artery bypass grafting (CABG)</b></p> <p>No change.</p>	<p><b>Coronary artery bypass grafting (CABG)</b></p> <p><b>The person should not drive for at least three months after CABG.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires or has had CABG.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least <b>three months</b> after CABG; <b>and</b></li> <li>there is a satisfactory response to</li> </ul>	<p><b>Coronary artery bypass grafting (CABG)</b></p> <p>No change.</p>



PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>treatment; <b>and</b></p> <ul style="list-style-type: none"> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>there is minimal residual musculoskeletal pain after the chest surgery.</li> </ul>		<p>treatment; <b>and</b></p> <ul style="list-style-type: none"> <li>there is an exercise tolerance of <math>\geq 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent functional exercise test protocol; <b>and</b></li> <li>there is no evidence of severe ischaemia, i.e. less than 2 mm ST segment depression on an exercise ECG or, a reversible regional wall abnormality on an exercise stress echocardiogram or, absence of a large defect on a stress perfusion scan; <b>and</b></li> <li>there is an ejection fraction of 40% or over; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>there is minimal residual musculoskeletal pain after the chest surgery.</li> </ul>	
<p><b>Percutaneous coronary intervention (PCI)</b></p> <p><b>The person should not drive for at least two days after the PCI.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires or has had a PCI.</li> </ul>	<p><b>Percutaneous coronary intervention (PCI)</b></p> <p>(e.g. angioplasty/stent)</p> <p>No other change.</p>	<p><b>Percutaneous coronary intervention (PCI)</b></p> <p><b>The person should not drive for at least four weeks after the PCI.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires or has had a PCI.</li> </ul>	<p><b>Percutaneous coronary intervention (PCI)</b></p> <p>(e.g. angioplasty/stent)</p> <p>No other change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>• there was no AMI immediately before or after the PCI; <b>and</b></li> <li>• there is a satisfactory response to treatment; <b>and</b></li> <li>• there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>		<p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>• it is at least <b>four weeks</b> after the PCI; <b>and</b></li> <li>• there is a satisfactory response to treatment; <b>and</b></li> <li>• there is an exercise tolerance of <math>\geq 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent functional exercise test protocol; <b>and</b></li> <li>• there is no evidence of severe ischaemia, i.e. less than 2 mm ST segment depression on an exercise ECG or a reversible regional wall abnormality on an exercise stress echocardiogram or absence of a large defect on a stress perfusion scan; <b>and</b></li> <li>• there is an ejection fraction of 40% or over; <b>and</b></li> <li>• there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	
<b>Atrial fibrillation</b>	<b>Atrial fibrillation</b>	<b>Atrial fibrillation</b>	<b>Atrial fibrillation</b>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>The non-driving period will depend on the method of treatment – see below.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if an episode of fibrillation results in syncope or incapacitating symptoms.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> <p>The person should not drive for:</p> <ul style="list-style-type: none"> <li>at least <b>one week</b> following percutaneous intervention;</li> <li>at least <b>one week</b> following initiation of successful medical treatment;</li> <li>an appropriate time following open chest surgery.</li> </ul>	No change.	<p><b>The non-driving period will depend on the method of treatment – see below.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a history of recurrent or persistent arrhythmia that may result in syncope or incapacitating symptoms.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>appropriate follow- up has been arranged.</li> </ul> <p>The person should not drive for:</p> <ul style="list-style-type: none"> <li>at least <b>four weeks</b> following percutaneous intervention;</li> <li>at least <b>four weeks</b> following initiation of successful medical treatment;</li> <li>at least <b>three months</b> following open chest surgery.</li> </ul>	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		<ul style="list-style-type: none"> <li>If the person is taking anticoagulants refer to anticoagulant therapy below (page 51).</li> </ul>	
<p><b>Paroxysmal arrhythmias</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if there was near or definite collapse.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review*</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are normal haemodynamic responses at a moderate level of exercise; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> <p>* Where the condition is considered to be cured, the requirement for periodic review may be waived.</p>	<p><b>Paroxysmal arrhythmias</b></p> <p>No change.</p>	<p><b>Paroxysmal arrhythmias</b></p> <p><b>The non-driving period is at least four weeks.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if there was near or definite collapse.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review*</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are normal haemodynamic responses at a moderate level of exercise; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> <p>The person should not drive:</p> <ul style="list-style-type: none"> <li>for at least <b>four weeks</b> following percutaneous intervention;</li> <li>for at least <b>four weeks</b> following initiation of successful medical treatment.</li> </ul>	<p><b>Paroxysmal arrhythmias</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		* Where the condition is considered to be cured, the requirement for periodic review may be waived.	
<p><b>Cardiac arrest</b></p> <p>The person should not drive for at least six months following a cardiac arrest.</p> <p>Limited exceptions apply — see below*.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has suffered a cardiac arrest.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least <b>six months</b> after the arrest; <b>and</b></li> <li>the cause of the cardiac arrest and response to treatment has been considered; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> <p>* A shorter non-driving period than six months may be considered subject to specialist assessment if the cardiac</p>		<p><b>Cardiac arrest</b></p> <p>The person should not drive for at least six months following a cardiac arrest.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has suffered a cardiac arrest.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least <b>six months</b> after the arrest; <b>and</b></li> <li>a reversible cause is identified and recurrence is unlikely; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
arrest has occurred within 48 hours of an acute myocardial infarction, or if the arrhythmia causing the cardiac arrest has been addressed by a radio frequency ablation surgery or by pacemaker implantation.			
<p><b>Cardiac pacemaker</b></p> <p>The person should not drive for at least two weeks after insertion of a pacemaker.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if a cardiac pacemaker is required or has been implanted or replaced.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least <b>two weeks</b> after insertion of the cardiac pacemaker; <b>and</b></li> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>		<p><b>Cardiac pacemaker</b></p> <p>The person should not drive for at least four weeks after insertion of a pacemaker.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if a cardiac pacemaker is required or has been implanted or replaced.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least <b>four weeks</b> after insertion of the cardiac pacemaker; <b>and</b></li> <li>the relative risks of pacemaker dysfunction have been considered; <b>and</b></li> <li>there are normal haemodynamic responses at a moderate level of exercise; <b>and</b></li> <li>there are minimal symptoms</li> </ul>	

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		relevant to driving (chest pain, palpitations, breathlessness).	
<p><b>Implantable cardioverter defibrillator (ICD)</b></p> <p>The non-driving period will depend on the reason for ICD implantation – see below.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires or has had an ICD implanted for ventricular arrhythmias.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the ICD has been implanted for an episode of cardiac arrest and the person has been asymptomatic for <b>six months</b>; <b>or</b></li> <li>the ICD has been prophylactically implanted for at least <b>two weeks</b>; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> <p>A person should not drive:</p>	<p><b>Implantable cardioverter defibrillator (ICD)</b></p> <p>No change.</p>	<p><b>Implantable cardioverter defibrillator (ICD)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b> or a <b>conditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires or has had an ICD implanted for ventricular arrhythmias, including those implanted for prophylaxis.</li> </ul>	<p><b>Implantable cardioverter defibrillator (ICD)</b></p> <p>The person should not drive for at least 6 months after the ICD is implanted.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b> or a <b>conditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the ICD was implanted to manage ventricular arrhythmias (secondary prevention).</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b> taking into account the nature of the driving tasks and information provided by the treating <b>electrophysiologist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the ICD was implanted for primary prevention; <b>and</b></li> <li>it is at least 6 months after the insertion of the ICD; <b>and</b></li> <li>there are no episodes of atrial fibrillation; <b>and</b></li> <li>there are no discharges from the defibrillator; <b>and</b></li> </ul>



PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<ul style="list-style-type: none"> <li>for <b>two weeks</b> after a generator change of an ICD);</li> <li>for at least <b>four weeks</b> after appropriate ICD therapy associated with symptoms of haemodynamic compromise (if syncopal, refer to syncope, page 54).</li> </ul>			<ul style="list-style-type: none"> <li>interrogation of the ICD shows no evidence of anti-tachycardic pacing; <b>and</b></li> <li>there is an ejection fraction <math>\geq 40\%</math>; <b>and</b></li> <li>there is an exercise tolerance <math>&gt; 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent functional test protocol; <b>and</b></li> <li>there is no evidence of severe ischaemia – that is, less than 2mm ST segment depression on an exercise test or reversible regional wall abnormality on an exercise stress echocardiogram or absence of a large defect on a stress perfusion scan; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, and breathlessness).</li> </ul>
<p><b>ECG changes</b></p> <p>The person should not drive for at least two weeks following initiation of treatment.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the conduction defect is causing symptoms.</li> </ul> <p>A <b>conditional licence</b> may be</p>	<p><b>ECG changes</b></p> <p>No change.</p>	<p><b>ECG changes</b></p> <p>The person should not drive for at least three months following initiation of treatment.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has an electrocardiographic abnormality, for example, left bundle branch block,</li> </ul>	<p><b>ECG changes</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the condition has been treated procedurally or medically for at least two weeks; <b>and</b></li> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul> <p>* Where the condition is considered to be cured, the requirement for periodic review may be waived.</p>		<p>right bundle branch block, pre-excitation, prolonged QT interval or changes suggestive of myocardial ischaemia or previous myocardial infarction.</p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>all of the following: <ul style="list-style-type: none"> <li>the condition has been treated procedurally or medically for at least three months; <b>and</b></li> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>or</b></li> </ul> </li> <li>follow-up investigation has excluded underlying cardiac disease.</li> </ul> <p>* Where the condition is considered to be cured, the requirement for periodic review may be waived.</p>	
<p><b>Aneurysms: abdominal and thoracic</b>  <b>The person should not drive for at least four weeks post repair.</b>  A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p>	<p><b>Aneurysms: abdominal and thoracic</b>  No change.</p>	<p><b>Aneurysms: abdominal and thoracic</b>  <b>The person should not drive for at least three months post repair.</b>  A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p>	<p><b>Aneurysms: abdominal and thoracic</b>  No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<ul style="list-style-type: none"> <li>if the person has an unrepaired aortic aneurysm, thoracic or abdominal.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>both: <ul style="list-style-type: none"> <li>it is at least <b>four weeks</b> after repair; <b>and</b></li> <li>the response to treatment is satisfactory, according to the treating vascular surgeon; <b>or</b></li> </ul> </li> <li>in the case of atherosclerotic aneurysm or aneurysm associated with the bicuspid aortic valve, the aneurysm diameter is less than 55mm; <b>or</b></li> <li>the aneurysm diameter is less than 50mm.</li> </ul>		<ul style="list-style-type: none"> <li>if the person has an unrepaired aortic aneurysm, thoracic or abdominal.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>both: <ul style="list-style-type: none"> <li>it is at least <b>three months</b> after repair; <b>and</b></li> <li>the response to treatment is satisfactory, according to the treating vascular surgeon; <b>or</b></li> </ul> </li> <li>in the case of atherosclerotic aneurysm or aneurysm associated with the bicuspid aortic valve, the aneurysm diameter is less than 55mm; <b>or</b></li> <li>the aneurysm diameter is less than 50mm.</li> </ul>	
<p><b>Deep vein thrombosis (DVT)</b></p> <p>There are no licensing criteria for DVT. For advisory non-driving period following DVT refer to Table 6, page 38.</p> <ul style="list-style-type: none"> <li>For long-term anticoagulation refer to page 51. Refer also to section 2.2.7 in text.</li> </ul>	<p><b>Deep vein thrombosis (DVT)</b></p> <p>No change.</p>	<p><b>Deep vein thrombosis (DVT)</b></p> <p>There are no licensing criteria for DVT. For advisory non-driving period following DVT refer to Table 6, page 38.</p> <ul style="list-style-type: none"> <li>For long-term anticoagulation refer to page 51. Refer also to section 2.2.7 in text.</li> </ul>	<p><b>Deep vein thrombosis (DVT)</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<b>Pulmonary embolism (PE)</b> There are no licensing criteria for PE. For advisory non-driving period following PE refer to Table 6, page 38. For long-term anticoagulation refer to page 51. Refer also to section 2.2.7 in text.	<b>Pulmonary embolism (PE)</b> No change.	<b>Pulmonary embolism (PE)</b> There are no licensing criteria for PE. For advisory non-driving period following PE refer to Table 6, page 38. For long-term anticoagulation refer to page 51. Refer also to section 2.2.7 in text.	<b>Pulmonary embolism (PE)</b> No change.
<b>Valvular heart disease (including treatment with Mitra Clips and Transcatheter Aortic Valve Replacement)</b> <b>The person should not drive for at least four weeks following valve repair.</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b> : <ul style="list-style-type: none"> <li>if the person has symptoms on moderate exertion.</li> </ul> A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b> , taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met: <ul style="list-style-type: none"> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>there is minimal residual</li> </ul>	<b>Valvular heart disease (including treatment with Mitra Clips, Tricuspid clips, Transcatheter Aortic Valve Replacement and transcatheter pulmonary valve replacement).</b> No other change.	<b>Valvular heart disease (including treatment with Mitra Clips and Transcatheter Aortic Valve Replacement)</b> <b>The person should not drive for at least four weeks following valve repair.</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b> : <ul style="list-style-type: none"> <li>if the person has any history or evidence of valve disease, with or without surgical repair or replacement, associated with symptoms or a history of embolism, arrhythmia, cardiac enlargement, abnormal ECG or high blood pressure; <b>or</b></li> <li>if the person is taking anticoagulants (a conditional licence may be issued subject to the requirements specified on page 51 in relation to anticoagulant therapy).</li> </ul> A <b>conditional licence</b> may be considered by the driver licensing	<b>Valvular heart disease (including treatment with Mitra Clips, Tricuspid clips, Transcatheter Aortic Valve Replacement and transcatheter pulmonary valve replacement).</b> No other change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
musculoskeletal pain after chest surgery, if required.		<p>authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person's cardiological assessment shows valvular disease of no haemodynamic significance; <b>or</b></li> <li>all of the following: <ul style="list-style-type: none"> <li>it is three months following surgery and there is no evidence of valvular dysfunction; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>there is minimal residual musculoskeletal pain after chest surgery.</li> </ul> </li> </ul>	
<p><b>Dilated cardiomyopathy</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a dilated cardiomyopathy.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the</p>	<p><b>Dilated cardiomyopathy</b></p> <p>No change.</p>	<p><b>Dilated cardiomyopathy</b></p> <p>A person is <b>not</b> fit to hold and <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a dilated cardiomyopathy.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether</p>	<p><b>Dilated cardiomyopathy</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>following criteria are met:</p> <ul style="list-style-type: none"> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>the person is not subject to arrhythmias.</li> </ul> <p>Cardiologist assessment is recommended for complex presentations.</p>		<p>the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is an ejection fraction of 40% or over; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>the person is not subject to arrhythmias.</li> </ul>	
<p><b>Hypertrophic cardiomyopathy (HCM)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has HCM.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>the person is not subject to arrhythmias or syncope.</li> </ul>	<p><b>Hypertrophic cardiomyopathy (HCM)</b></p> <p>No change.</p>	<p><b>Hypertrophic cardiomyopathy (HCM)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has HCM.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the left ventricular ejection fraction is 40% or over; <b>and</b></li> <li>there is an exercise tolerance of <math>\geq 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent functional exercise test protocol; <b>and</b></li> <li>there is an absence of: a history of syncope; severe LV hypertrophy; a</li> </ul>	<p><b>Hypertrophic cardiomyopathy (HCM)</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		<p>family history of sudden death; or ventricular arrhythmia on Holter testing; <b>and</b></p> <ul style="list-style-type: none"> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	
<p><b>Anticoagulant therapy</b></p> <p>A person on a private vehicle licence may drive without restriction and without reporting to the driver licensing authority, pending periodic review if:</p> <ul style="list-style-type: none"> <li>anticoagulation is maintained at the appropriate degree for the underlying condition.</li> </ul>	<p><b>Anticoagulant therapy</b></p> <p>No change.</p>	<p><b>Anticoagulant therapy</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person is on long-term anticoagulant therapy.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>anticoagulation is maintained at the appropriate degree for the underlying condition.</li> </ul>	<p><b>Anticoagulant therapy</b></p> <p>No change.</p>
<p><b>Congenital disorders</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a complicated congenital heart disorder.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the</p>	<p><b>Congenital disorders</b></p> <p>A person should <b>not</b> drive for a period of at <b>least 4 weeks</b> after surgery to correct a congenital lesion. The person should not drive for at <b>least 2 weeks</b> following a percutaneous procedure to treat a congenital lesion.</p> <p>A person is <b>not</b> fit to hold an</p>	<p><b>Congenital disorders</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a complicated congenital heart disorder.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the</p>	<p><b>Congenital disorders</b></p> <p>A person should not drive for at <b>least 3 months</b> following surgical treatment for congenital heart disease. A person should not drive for <b>4 weeks</b> following a percutaneous intervention for congenital heart disease.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>driving task and information provided by the <b>treating specialist</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	<p><b>unconditional licence:</b></p> <ul style="list-style-type: none"> <li>if the person has a complicated congenital heart disorder.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b> taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness)</li> </ul>	<p>driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is a minor congenital heart disorder of no haemodynamic significance such as pulmonary stenosis, atrial septal defect, small ventricular septal defect, bicuspid aortic valve, patent ductus arteriosus or mild coarctation of the aorta; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	<ul style="list-style-type: none"> <li>if the person has a complicated congenital heart disorder.</li> </ul> <p>A conditional licence may be considered by the driver licensing authority subject to annual review taking into account the nature of the driving task and the information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>there is a minor congenital disorder of no haemodynamic significance such as pulmonary stenosis, atrial septal defect, small ventricular septal defect, bicuspid aortic valve, patent ductus arteriosus or mild coarctation of the aorta; <b>or</b></li> <li>there has been surgical/percutaneous correction of the congenital lesion including atrial septal defect, ventricular septal defect, patent ductus arteriosus, coarctation, pulmonary stenosis, total correction of tetralogy of Fallot or total correction of transposition of the great arteries and there are no or minimal symptoms.</li> </ul>



PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Heart failure</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if symptoms arise on moderate exertion.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	<p><b>Heart failure</b></p> <p>No change.</p>	<p><b>Heart failure</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has heart failure.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there is an exercise tolerance of <math>\geq 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent functional exercise test protocol; <b>and</b></li> <li>there is an ejection fraction of 40% or over; <b>and</b></li> <li>the underlying cause of the heart failure is considered; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	<p><b>Heart failure</b></p> <p>No change.</p>
<p><b>Ventricular assist devices</b></p> <p>A person should not drive for at least <b>3 months</b> following insertion of a ventricular assist device.</p>	<p><b>Ventricular assist devices (LVAD, BiVAD)</b></p> <p>A person should not drive for at least <b>3 months</b> following insertion of a</p>	<p><b>Ventricular assist devices</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b> or a <b>conditional licence</b>:</p>	<p><b>Ventricular assist devices (LVAD, BiVAD)</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>A person is not fit to hold an unconditional licence:</p> <ul style="list-style-type: none"> <li>if the person requires a VAD.</li> </ul> <p>In the case of a left ventricular assist device (LVAD), a <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>six monthly review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the device has been in situ for at least <b>three months</b> and there have been no equipment problems during the preceding two weeks; <b>and</b></li> <li>anticoagulation is stable as per this standard; <b>and</b></li> <li>the medical condition is stable and satisfactorily controlled, and there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>the person is confident in relation to all LVAD equipment.</li> </ul> <p>Where there is concern of cognitive or neurological impairment, a practical</p>	<p><b>ventricular assist device.</b></p> <p>A person is not fit to hold an unconditional licence:</p> <ul style="list-style-type: none"> <li>if the person requires an LVAD or BiVAD</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>6-monthly review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the device has been in situ for at least <b>3 months</b> and there have been no equipment problems during the preceding 2 weeks; <b>and</b></li> <li>anticoagulation is stable as per this standard; <b>and</b></li> <li>the medical condition is stable and satisfactorily controlled, and there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness); <b>and</b></li> <li>the person is confident in relation to all LVAD or BiVAD equipment.</li> </ul> <p>Where there is concern of cognitive or neurological impairment, a practical</p>	<ul style="list-style-type: none"> <li>if the person requires a VAD of any type or an artificial heart.</li> </ul>	

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>driver assessment should be conducted (refer to Part A section <b><u>2.3.1 Practical driver assessments</u></b>).</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b> or a <b>conditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires a combined LVAD/RVAD or an artificial heart.</li> </ul>	<p>driver assessment should be conducted (refer to Part A section <b><u>2.3.1 Practical driver assessments</u></b>).</p>		
<p><b>Heart transplant</b></p> <p><b>The person should not drive for at least six weeks post transplant.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires or has had a heart or heart/lung transplant.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least <b>six weeks</b> after transplant; <b>and</b></li> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	<p><b>Heart transplant</b></p> <p>No change.</p>	<p><b>Heart transplant</b></p> <p><b>The person should not drive for at least three months post transplant.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person requires or has had a heart or heart/lung transplant.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>it is at least <b>three months</b> after transplant; <b>and</b></li> <li>there is a satisfactory response to treatment; <b>and</b></li> <li>there is an exercise tolerance of <math>\geq 90\%</math> of the age/sex predicted exercise capacity according to the Bruce protocol or equivalent</li> </ul>	<p><b>Heart transplant</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		<p>exercise test protocol); <b>and</b></p> <ul style="list-style-type: none"> <li>there are minimal symptoms relevant to driving (chest pain, palpitations, breathlessness).</li> </ul>	
<p><b>Hypertension</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional</b> licence:</p> <ul style="list-style-type: none"> <li>if the person has blood pressure consistently greater than 200 systolic or greater than 110 diastolic (treated or untreated).</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the blood pressure is well controlled; <b>and</b></li> <li>there are no side effects from the medication that will impair safe driving; <b>and</b></li> <li>there is no evidence of damage to target organs relevant to driving.</li> </ul>	<p><b>Hypertension</b></p> <p>No change.</p>	<p><b>Hypertension</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has blood pressure consistently greater than 170 systolic or greater than 100 diastolic (treated or untreated).</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating specialist*</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person is treated with antihypertensive therapy and effective control of hypertension is achieved over a four-week follow-up period; <b>and</b></li> <li>there are no side effects from the medication that will impair safe driving; <b>and</b></li> <li>there is no evidence of damage to target organs relevant to driving.</li> </ul> <p>* Ongoing fitness to drive for commercial vehicle drivers may be assessed by the treating general</p>	<p><b>Hypertension</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		practitioner, provided this is mutually agreed by the specialist, general practitioner and driver licensing authority. The initial granting of a conditional licence must, however, be based on information provided by the specialist.	
<b>Stroke</b> Refer to section 6 Neurological conditions	<b>Stroke</b> No change.	<b>Stroke</b> Refer to section 6 Neurological conditions	<b>Stroke</b> No change.
<b>Syncope</b> <b>The person could resume driving within 24 hours if the episode was vasovagal in nature with a clear-cut precipitating factor (such as venesection) and the situation is unlikely to occur while driving. The driver licensing authority should not be notified.</b> The person should not drive for at least four weeks after syncope due to other cardiovascular causes. A person is <b>not</b> fit to hold an <b>unconditional licence</b> : <ul style="list-style-type: none"> <li>if the condition is severe enough to cause episodes of loss of consciousness without warning.</li> </ul> A conditional licence may be considered by the driver licensing authority subject to periodic review,	<b>Syncope</b> No change.	<b>Syncope</b> The person could resume driving within 24 hours if the episode was vasovagal in nature with a clear-cut precipitating factor (such as venesection) and the situation is unlikely to occur while driving. The driver licensing authority should not be notified. The person should not drive for at least three months after syncope due to other cardiovascular causes. A person is <b>not</b> fit to hold an <b>unconditional licence</b> : <ul style="list-style-type: none"> <li>if the condition is severe enough to cause episodes of loss of consciousness without warning.</li> </ul> A conditional licence may be considered by the driver licensing authority subject to annual review, taking into account the nature of the	<b>Syncope</b> No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>taking into account the nature of the driving task and information provided by the treating doctor as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the underlying cause has been identified; and</li> <li>satisfactory treatment has been instituted; and</li> <li>the person has been symptom-free for at least <b>four weeks</b>.</li> </ul>		<p>driving task and information provided by the treating specialist as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the underlying cause has been identified; and</li> <li>satisfactory treatment has been instituted; and</li> <li>the person has been symptom-free for <b>three months</b>.</li> </ul>	

## 3.4 Diabetes mellitus

### 3.4.1 Inputs and review

Stakeholders that provided issues are listed below.

The review of the diabetes chapter involved consultation with the Australian Diabetes Society via its representative, Prof. Stephen Twigg. Findings from *Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition* and other medical and fitness-to-drive literature informed the outcomes of the review.

Stakeholder submissions
<b>Driver licensing authorities and transport regulators</b> <ul style="list-style-type: none"><li>Department of Transport (Vic)</li></ul>
<b>Medical/health professional stakeholders</b> <ul style="list-style-type: none"><li>Australian Diabetes Educators Society</li><li>Australian Diabetes Society</li><li>Australian and New Zealand Society of Occupational Medicine</li><li>Royal College of Pathologists of Australasia</li></ul>
<b>Industry stakeholders</b> <ul style="list-style-type: none"><li>Australian Trucking Association</li><li>NatRoad</li></ul>
<b>Driver/patient/carer stakeholders</b> <ul style="list-style-type: none"><li>Diabetes Australia</li></ul>

### 3.4.2 Issues and recommended changes

#### Hypoglycaemia

Hypoglycaemia is the main road safety risk for drivers with diabetes. In the previous 2012 and 2016 reviews, this chapter was significantly revised to clarify the definition of a hypoglycaemic episode and to provide detail about the risks and management of lack of hypoglycaemic awareness for both private and commercial drivers. A non-driving period was also introduced for drivers who had experienced a severe hypoglycaemic event. The Clarke questionnaire for hypoglycaemic awareness was included to encourage diagnosis, particularly in people with prolonged insulin usage or following a crash or serious hypoglycaemic event.

A submission was received to clarify the definition of 'recent history' and 'non-driving period' for a severe hypoglycaemic event. Medical specialist advice supported the current description and guidance in *Assessing Fitness to Drive*, noting that there are both biological and behavioural contexts that need to be considered regarding serious hypoglycaemic events and recovery. The consideration of recent history and non-driving period should remain determined through clinical judgement and individualised assessment, noting that six weeks is in general sufficient to assess recovery. The private and commercial medical standard tables already cross-reference the guidance for a 'severe hypoglycaemic event'. No changes were made.

Submissions were received requesting whether a distinction should be made between the classes of non-insulin glucose-lowering agents. Specialists advised that a distinction between the types of non-insulin-lowering agents should not be made, and most of these

have a similarly low risk of causing hypoglycaemia. Clinicians make their assessment based on a range of factors and are well placed to do this, including varying hypoglycaemic risk from these medications.

### **Advice for using new blood glucose-monitoring devices**

Submissions were received to include information on the use of devices such as flash and continuous glucose monitors. In their joint submission, the Australian Diabetes Educators Society, the Australian Diabetes Society and Diabetes Australia provided content on these devices to update the advice to drivers for managing hypoglycaemia. Further consultation with medical specialists highlighted that devices with alarms should not replace an individual's capacity to sense or experience other early warning signs of hypoglycaemia. Content is included in section 3.2.1 Hypoglycaemia to reflect the use of these devices.

### **HbA1c testing and satisfactory control of diabetes**

In 2016 the criteria for 'satisfactory control' was removed from the licensing criteria tables to reflect the emphasis on the main risks of hypoglycaemia and end-organ effects. This differentiates the road safety requirements from general management requirements, for which the goal remains good control, indicated by monitoring of blood glucose control and HbA1c. Medical and health stakeholders did not support including a reference to HbA1c as an indicator of control with respect to driving and questioned the direct relevance to crash risk. The Diabetes Society, Diabetes Australia and the Diabetes Educators Association issued a joint statement in support of removing the HbA1c requirement and focusing on the main risks of hypoglycaemia and end-organ effects.

In the current review, submissions were received requesting a reversal of this change and inclusion of HbA1c testing to determine satisfactory control of blood glucose levels. Specialist advice reaffirmed the main risk for safe driving is hypoglycaemia and end-organ effects. This view is supported with the findings from the MUARC report that highlights that identifying drivers at risk of hypoglycaemia while driving remains the priority. Specialist advice noted that HbA1c is a poor marker of risk for severe hypoglycaemic events and the best method to assess for the presence and severity of diabetic complications is evaluation of organ function. Including HbA1c reporting in *Assessing Fitness to Drive* is not supported for hypoglycaemia or for organ complications status in people with diabetes. This approach is consistent with international reporting for safe driving in people with diabetes. It was further added that HbA1c reporting should not be linked to driver licensing decisions as a motivator for general health, either as a punitive measure or a behavioural incentive. No changes were made.

### **Distinction between insulin-treated and non-insulin-treated diabetes standards**

A submission was made to consider removing the differentiation between drivers treated with insulin and those treated with other hypoglycaemic agents. This could be replaced with a single standard for private and commercial licensing. A systematic literature review that evaluated the available evidence regarding the influence of diabetes on MVC risk and on on-road driving performance found no evidence of a risk differential between these treatment cohorts. Specialist advice did not support this recommendation. The greatest risk for people with diabetes and driving is insulin therapy causing a crash from severe hypoglycaemia, an observation that is supported by findings from Coroners Court cases in Australia. Further investigation into variation across sub-groups of insulin-treated diabetes would be required before this would warrant a re-examination of the standards. In addition, existing standards capture the impacts from diabetic complications, which are more likely for insulin-treated diabetes, supporting the distinction between the two standards. No changes were made.



### **3.4.3 Implications for stakeholders**

#### **Driver licensing authorities**

Clarification on glucose monitors will assist licensing authorities when considering the use of these device and a driver's ability to maintain hypoglycaemic awareness.

#### **Health professionals**

Information on the use of glucose sensory monitors will support patient management with respect to reduced hypoglycaemic awareness and driving because patient awareness remains the key long-term goal for this condition.

#### **Drivers**

Drivers can be provided guidance on how to incorporate the use of glucose sensory monitors in maintaining hypoglycaemia awareness.

### 3.4.4 Medical standards for licensing – diabetes (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Diabetes controlled by diet alone</b></p> <p>A person with diabetes treated by diet and exercise alone may drive without licence restriction. They should be reviewed by their treating doctor periodically regarding progression of diabetes.</p>	No change.	<p><b>Diabetes controlled by diet alone</b></p> <p>A person with diabetes treated by diet and exercise alone may drive without licence restriction. They should be reviewed by their treating doctor periodically regarding progression of diabetes.</p>	No change.
<p><b>Diabetes treated by glucose-lowering agents other than insulin</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has end-organ complications that may affect driving, as per this publication, <b>or</b></li> <li>the person has had a recent 'severe hypoglycaemic event'.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into consideration the nature of the driving task, and information provided by the <b>treating doctor</b> on whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>any end-organ effects are satisfactorily treated, with reference to the standards in this publication; <b>and</b></li> <li>the person is following a treatment regimen that minimises the risk of hypoglycaemia; <b>and</b></li> <li>the person experiences early warning symptoms (awareness) of hypoglycaemia or has a documented management plan for lack of early</li> </ul>	No change.	<p><b>Diabetes treated by glucose-lowering agents other than insulin</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has non-insulin treated diabetes mellitus and is being treated with glucose-lowering agents other than insulin.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into consideration the nature of the driving task and information provided by an <b>endocrinologist / consultant physician specialising in diabetes*</b> on whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is no recent history of a 'severe hypoglycaemic event' as assessed by the specialist; <b>and</b></li> <li>the person experiences early warning symptoms (awareness) of hypoglycaemia; <b>and</b></li> <li>the person is following a treatment regimen that minimises the risk of hypoglycaemia; <b>and</b></li> </ul>	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>warning symptoms; <b>and</b></p> <ul style="list-style-type: none"> <li>any recent 'severe hypoglycaemic event' has been satisfactorily treated, with reference to the standards in this publication (refer to section 3.2.1).</li> </ul> <p>For private drivers who do not meet the above criteria, a <b>conditional licence</b> may be considered by the driver licensing authority, taking into account the opinion of an <b>endocrinologist / consultant physician specialising in diabetes</b> and subject to regular specialist review.</p>		<ul style="list-style-type: none"> <li>there is an absence of end-organ effects that may affect driving as per this publication.</li> </ul> <p>* For a commercial driver with type 2 diabetes who is being treated with metformin alone, the annual review for a conditional licence may be undertaken by the driver's treating doctor upon mutual agreement of the treating doctor, specialist and driver licensing authority. The initial granting of a conditional licence must, however, be based on information provided by the specialist.</p>	
<p><b>Insulin-treated diabetes (except gestational diabetes)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has insulin-treated diabetes.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>two-yearly review</b>, taking into consideration the nature of the driving task and information provided by the <b>treating doctor</b> on whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is no recent history of a 'severe hypoglycaemic event'; <b>and</b></li> <li>the person is following a treatment regimen that minimises the risk of hypoglycaemia; <b>and</b></li> <li>the person experiences early warning symptoms (awareness) of hypoglycaemia (refer to section 3.2.1)</li> </ul>	No change.	<p><b>Insulin-treated diabetes (except gestational diabetes)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has insulin-treated diabetes.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into consideration the nature of the driving task and information provided by an <b>endocrinologist / consultant physician specialising in diabetes</b> on whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there is no recent history (generally at least six weeks) of a 'severe hypoglycaemic event' as assessed by the specialist; <b>and</b></li> <li>the person is following a treatment regimen that minimises the risk of hypoglycaemia; <b>and</b></li> </ul>	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>or has a documented management plan for lack of early warning symptoms; <b>and</b></p> <ul style="list-style-type: none"> <li>there are no end-organ effects that may affect driving as per this publication.</li> </ul> <p>For private drivers who do not meet the above criteria, a <b>conditional licence</b> may be considered by the driver licensing authority taking into account the opinion of an <b>endocrinologist / consultant physician specialising in diabetes</b> and subject to regular specialist review.</p>		<ul style="list-style-type: none"> <li>the person experiences early warning symptoms (awareness) of hypoglycaemia (refer to section 3.2 1); <b>and</b></li> <li>there are no end-organ effects that may affect driving as per this publication.</li> </ul>	

## 3.5 Hearing loss and deafness

---

### 3.5.1 Inputs and review

Stakeholders who provided submissions are listed below. During the 2016 review, a working group was convened to develop changes to the standards. These appear to have been well received because we did not receive submissions regarding the medical standards. The Australian and New Zealand Society of Occupational Medicine noted in its submission that the information currently in *Assessing Fitness to Drive* was suitably detailed for guiding management of commercial vehicle drivers.

Findings from *Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition* and other medical and fitness-to-drive literature informed the outcomes of the review.

Stakeholder submissions
<b>Driver licensing authorities and transport regulators</b> <ul style="list-style-type: none"><li>• Department of Transport (Vic)</li></ul>
<b>Medical/health professional stakeholders</b> <ul style="list-style-type: none"><li>• Australian and New Zealand Society of Occupational Medicine</li></ul>
<b>Patient/driver stakeholders</b> <ul style="list-style-type: none"><li>• Audiology Australia</li><li>• Australian College of Audiology</li></ul>

### 3.5.2 Issues and recommendations

#### Evidence of crash risk

Previous reviews have considered removing the hearing standard altogether based on the lack of evidence of crash risk and considerations such as variability in ambient noise in trucks and the adaptability of people with long-term hearing loss. It was concluded that it was justified to continue to restrict the standard to commercial vehicle drivers only.

The current state-of-the-art literature reported in the MUARC report concluded that there is little evidence to support restricting drivers with a hearing impairment from holding an unconditional licence under private and commercial standards. It was noted that while the number of studies are limited, the quality of these studies was sufficient to draw the conclusions. It recommended that where hearing is required for driving in work-related settings or occupational environments, that those requirements could be managed through work health and safety regulations or other industry standards.

The advisory group considered this issue, discussing the standard's current dependencies and the challenges that would arise from removing the existing standards. No changes have been made to the medical standards to avoid creating a gap for managing the implications of hearing loss on occupational driving. In light of the available evidence, this position should be reviewed in the next medical standard update and consider developing other standards that may be better placed to manage hearing requirements for occupational tasks.

#### Vestibular disorders

In the 2016 review, consultation identified that acute vertigo is of minor importance in road safety. A literature search found little evidence that vertigo contributes to crashes. Therefore, the section was deleted and an advisory-only paragraph was added to 'Other neurological and neurodevelopmental conditions'.

A submission requested a reconsideration of this change. Consistent with the findings in the 2016 review, a targeted literature search could not identify sufficient evidence to draw findings on the impact of vestibular disorders on MVC or road safety risks (Appendix C – Vestibular disorders). No changes were made.

### **Definition of appropriate health professional**

Information about the appropriate health professional to perform specific hearing tests is included. Stakeholders submitted that the definition of an audiologist required updating and the definition of an audiometrist's role when performing hearing tests be included.

### **3.5.3 Implications for stakeholders**

#### **Driver licensing authorities**

This chapter provides greater clarity on the role of suitable health professionals, which will assist in management and support consistency.

#### **Health professionals**

This chapter provides greater clarity on which health professionals can undertake which assessment.

#### **Drivers**

There are no significant changes that affect drivers.

### 3.5.4 Medical standards for licensing – hearing (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>There is no hearing standard for private vehicle drivers.</b></p> <p>Refer to <i>General assessment and management guidelines</i>.</p>	No change.	<p>Compliance with the standard should be clinically assessed initially. If the initial clinical assessment indicates possible hearing loss, the person should be referred for audiometry.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has unaided hearing loss greater than or equal to 40 dB in the better ear (averaged over the frequencies 0.5, 1, 2 and 3 KHz).</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>*, taking into account the nature of the driving task and information provided by an <b>ear nose and throat specialist or audiologist**</b> as to whether:</p> <ul style="list-style-type: none"> <li>the standard is able to be met with a hearing aid.***</li> </ul> <p>If the standard is not able to be met with a hearing aid, further individualised assessment should be offered.</p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>*, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by an ear nose and throat specialist or audiologist;** <b>and</b></li> <li>the results of a practical driver</li> </ul>	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		<p>assessment if required.</p> <p>* Stable conditions may not require periodic review.</p> <p>** For the purposes of this document an audiologist is a person registered with Audiology Australia (see <a href="http://www.audiology.asn.au">www.audiology.asn.au</a>).</p> <p>*** In some cases, noise amplification as a result of wearing hearing aids may lead to driver distraction and may warrant individualised assessment to determine fitness to drive without the hearing aid (refer to text on page 75).</p>	



## 3.6 Musculoskeletal conditions

### 3.6.1 Inputs

A number of stakeholders provided submissions (refer to the list below).

The review of the musculoskeletal chapter involved consultation with Occupational Therapy Australia and its national driving committee. Findings from a targeted literature search supported this review (Appendix C – Chronic pain).

<b>Stakeholder submissions</b>
<b><i>Driver licensing authorities and transport regulators</i></b> <ul style="list-style-type: none"><li>• Department of Transport (Vic)</li></ul>
<b><i>Medical/health professional stakeholders</i></b> <ul style="list-style-type: none"><li>• Australian and New Zealand Society of Occupational Medicine</li><li>• Occupational Therapy Australia</li></ul>
<b><i>Patient/driver/carer stakeholders</i></b> <ul style="list-style-type: none"><li>• Royal Automobile Club of Victoria</li><li>• Amputees NSW</li><li>• National Inclusive Transport Advocacy Network</li></ul>

### 3.6.2 Issues and recommendations

#### Information on vehicle modifications and use of prostheses

We received submissions requesting information on the use of prosthetic devices and a description of vehicle modification classes. This content has been developed to provide information on vehicle modifications and guidance on using prosthetic devices to support functional capacity to drive. This includes text to clarify that an individual does not need reassessment if upgrading a device of the same class they have already been assessed for.

#### Chronic pain

The guidance and standards in the musculoskeletal chapter support assessing functional capacity to perform the driving task that may be affected by a broad range of conditions including chronic pain. We received submissions requesting a standalone chapter and licensing standards for chronic pain. Some limited research has identified factors such as driving lapses, mental demand, physical demand and frustration levels of the driving task being affected for people experiencing chronic pain.

The review could not identify any clear road safety evidence to suggest that specific standards and conditional licence criteria should be set. A targeted literature search performed by MUARC could not identify a sufficient evidence base to draw findings on MVC or road safety risks due to chronic pain (Appendix C – Chronic pain). Analysis of international fitness-to-drive standards in comparable countries (UK, Ireland, New Zealand, Canada, United States) found no specific standards for chronic pain and (if mentioned) were managed under general functional assessment principles. Minor amendments highlighting the existing general principles of fitness to drive (consideration of the condition's stability and medication side effects) are included to support assessments of musculoskeletal conditions.

### **3.6.3 Implications for stakeholders**

#### **Driver licensing authorities**

The changes have no significant implications for driver licensing authorities.

#### **Health professionals**

This chapter provides further clarity regarding assessment, licensing criteria and periodic review, which will assist in management and support consistency.

#### **Drivers**

The new information on vehicle modifications and prostheses supports a fairer and more consistent process for assessing safe driving.

### 3.6.4 Medical standards for licensing – musculoskeletal conditions (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the driver's ability to perform the required driving activities (refer to Figure 12) is inadequate.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to periodic review, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by the treating doctor on the benefit of treatments, prostheses or other devices (see Note below); or</li> <li>a practical driver assessment if required*; and</li> <li>any modification to the vehicle.</li> </ul> <p>* Motor cyclists with a musculoskeletal disability will require a practical driver assessment (refer to Part A section 2.3.1 Practical driver assessments).</p>	<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the driver's ability to perform the required driving activities (refer to section 5.2.1 Clinical assessment and Figure 12) is inadequate.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task; <b>and</b></li> <li>information provided by the treating doctor on: <ul style="list-style-type: none"> <li>the stability of the condition; <b>and</b></li> <li>the benefit of treatments, prostheses or other devices (see footnote below); <b>or</b></li> <li>medications that may impair capacity for safe driving (refer to Part A, section 2.2.9 Drugs and driving); <b>and</b></li> </ul> </li> <li>a practical driver assessment if required*; <b>and</b></li> <li>any modification to the vehicle.</li> </ul> <p><i>* Motorcyclists with a musculoskeletal disability will require a practical driver assessment (refer to Part A section 2.3.1 Practical driver assessments).</i></p>	<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the driver's ability to perform the required driving activities (refer to Figure 12) is inadequate.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by the treating doctor on the benefit of treatments, prostheses or other devices (see Note below); or</li> <li>the results of a practical driver assessment*; <b>and</b></li> <li>any modification to the vehicle.</li> </ul> <p>* All commercial vehicle drivers with a musculoskeletal disability will require a practical driver assessment (refer to Part A section 2.3.1 Practical driver assessments).</p>	<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the driver's ability to perform the required driving activities (refer to section 5.2.1 Clinical assessment and Figure 12) is inadequate.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task; <b>and</b></li> <li>information provided by the treating doctor on: <ul style="list-style-type: none"> <li>the stability of the condition; <b>and</b></li> <li>the benefit of treatments, prostheses or other devices (see footnote below); <b>or</b></li> <li>medications that may impair capacity for safe driving (refer to Part A, section 2.2.9 Drugs and driving); <b>and</b></li> </ul> </li> <li>the results of a practical driver assessment*; <b>and</b></li> <li>any modification to the vehicle.</li> </ul> <p><i>* All commercial vehicle drivers with a musculoskeletal disability will require a practical driver assessment (refer to Part A section 2.3.1 Practical driver assessments).</i></p>

## 3.7 Neurological conditions

### 3.7.1 Inputs and review

A number of stakeholders provided submissions (refer to the list below). The review of the neurological conditions chapter involved consultation with representatives from the Australian and New Zealand Association of Neurologists, the Epilepsy Society Australia, the Movement Disorder Society of Australia and New Zealand, the Royal Australian and New Zealand College of Psychiatrists, and Occupational Therapy Australia. Findings from *Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition* and other medical and fitness-to-drive studies informed the outcomes of the review.

#### Stakeholder submissions

##### ***Driver licensing authorities and transport regulators***

- Department for Infrastructure and Transport (SA)
- Department of Transport (Vic)
- Department of Transport and Main Roads (Qld)
- Transport for NSW and Roads and Maritime Services

##### ***Medical/health professional stakeholders***

- Australian and New Zealand Society of Occupational Medicine
- Australian and New Zealand Association of Neurologists
- Epilepsy Society Australia
- Movement Disorder Society of Australia and New Zealand
- Occupational Therapy Australia
- Royal Australasian College of Physicians
- Royal Australian and New Zealand College of Psychiatrists
- Royal College of Pathologists of Australasia
- Stroke Society of Australia
- Victorian Institute of Forensic Medicine

##### ***Patient/driver/carer stakeholders***

- Dementia Australia
- Epilepsy Action Australia
- MS Australia
- Royal Automobile Club of Victoria

### 3.7.2 Dementia – issues and recommendations

#### Mild cognitive impairment (MCI)

Submissions were received requesting information on MCI and considerations when assessing fitness to drive. Information has been provided on MCI, the relevance to the driving task and the evidence of crash risk. Guidance has been provided for the clinical features that may warrant a more detailed assessment.

### 3.7.3 Seizures and epilepsy – issues and recommendations

#### Epilepsy

The submission from the Australian and New Zealand Association of Neurologists and the Epilepsy Society of Australia recommended several updates to the seizure standards to reflect the low risk of seizure reoccurrence in some circumstances and to clarify the application of the existing standards. Changes were made to:

- outline when results of electroencephalography (EEG) is required for licensing decisions
- outline when resumption of an unconditional licence can be considered in low-risk scenarios
- clarify guidance for safe seizures
- clarify guidance for provoking factors
- provide guidance for situations where the individual does not follow medical advice or if clinical information is doubtful or unreliable
- clarify guidance on planned withdrawal and dose-reduction antiepileptic medications
- clarify guidance where multiple reductions to the default standard may be applicable.

We received a submission that noted that standards for other medical conditions allowed the treating physician to recommend a conditional licence once it is well controlled with treatment. It was queried whether epilepsy could be similarly managed. Specialist advice reiterated that the only way to assess that epilepsy is well controlled is to observe a minimum seizure-free period. It was noted that the current standards and non-driving periods are suitable for this purpose. No changes were made.

### **Childhood seizures**

Submissions requested clarification on the appropriateness of the current age cut-off in the criteria for safe seizures and the review requirements for these individuals. Medical specialist advice noted that these criteria apply to the childhood-specific epilepsy syndromes that can naturally resolve before the minimum age of driving. The current age cut-off practically implements a five-year non-driving period that is suitable to manage the risk of reoccurrence for these seizure types in this age group. No change is made.

### **Reduced review for extended seizure-free periods**

A submission requested guidance for considering review requirements when an individual taking medication has been seizure-free for 10 (private) or 20 (commercial) years. Development of a risk matrix was requested. Medical specialists noted that annual review periods for people with an extended seizure-free period offers less benefit because changes in the condition are generally notified to medical professionals and managed to the standards. Development of a risk matrix was not supported. For patients with an extended seizure-free period, it was advised that a triennial review period may be suitable on advice of the specialist.

### **Seizure-free periods and unconditional commercial licences**

We received submissions requesting a review of the criteria that prevent reissuing an unrestricted commercial licence after an extensive seizure-free period and treatment cessation. The Australian and New Zealand Association of Neurologists and the Epilepsy Society of Australia provided an update on reductions for first seizures and acute symptomatic seizures, which include new criteria when an unconditional licence could be considered under the commercial standards. Medical specialist advice noted that in other circumstances, the risk from a seizure in a commercial driver is unacceptably high such that strict monitoring is required. Advice noted that the risk of recurrence as a whole remains elevated compared with the general population.

We received a submission requesting clarification on how to assess a person who, after many years of not being treated with medication, has a seizure. Specialist advice noted that applying the existing guidelines adequately handles these cases. It was reiterated that, depending on treatment and advice from a neurologist, an individual may fall under the 'treated for the first time' standard, the 'previously well controlled' standard or the default standard.

### **3.7.4 Other neurological and neurodevelopmental conditions – issues and recommendations**

#### **Stroke and transient ischaemic attack (TIA) non-driving periods**

In 2012 several submissions requested clarification on stroke. The section was revised with clear non-driving periods (where there is no long-term neurological impairment) specified for private (four weeks) and commercial vehicle drivers (three months).

We received a number of submissions requesting clarification on these non-driving periods and requirements for specialist review before non-driving periods end. The joint submission from the Stroke Society of Australia and the Australian and New Zealand Association of Neurologists noted that once recovery has occurred, any deficits from the stroke will be non-progressive and hence, depending on meeting the necessary neurological and neuropsychological criteria, the person may resume driving without follow-up. An update to the private standards provides guidance on people who show no impairment and have been discharged from specialist care before the four-week non-driving period elapses.

We received a submission querying whether the advisory four-week non-driving period remains suitable to manage the risk of TIA under the commercial standards. The submission from the Stroke Society of Australia and the Australian and New Zealand Association of Neurologists noted that TIA almost never produces loss of consciousness, and it is an extremely uncommon cause of crashes. The risk of a subsequent stroke with modern medical therapy is about 5 per cent in the first three years and about half of that risk occurs in the first week.

This position is reinforced in the MUARC report, which found that the available evidence does not support a robust increase in risk of MVCs for drivers who have experienced stroke or a TIA. While stroke clearly prevents some individuals from driving altogether, individualised assessment and clinical judgement must continue to be used in assessing and advising individuals about their safety to return to driving after a stroke/TIA including their MVC risk. The report found that the evidence aligns with the current guidance for stroke and TIA in *Assessing Fitness to Drive*.

#### **Space-occupying lesions including brain tumours**

A submission was received stating that the current guidance on brain tumours is subjective and does not consider the risks that accompany different tumour types or grades. Guidance was requested reflecting the commensurate risk of seizures with each tumour stage and progression. Medical specialist advice noted the issues raised in the submission but did not agree that new standards could be applied to practically manage the seizure risk more effectively.

#### **Autism spectrum disorder (ASD)**

Submissions were received to provide further information or consider medical standards for people with ASD. A targeted literature review identified studies that suggest drivers with ASD drive differently from their neurotypical counterparts, noting shortcomings in

tactical driving skills (Appendix C – Autism spectrum disorder). However, the extent to which this affected their own safety or the safety of other road users is unclear and there was not enough information to evaluate any MVC or other road safety risk. Specialist advice noted that the variability of ASD characteristics and the degree of severity were too diverse for a specific standard. The current developmental disorder medical standards are suitable to assess these individuals. No changes to the current standards were made and contextual information is provided in section 6.3 Other neurological and neurodevelopmental conditions.

### **Intellectual disability**

In the 2016 review, the criteria for intellectual disability was deleted and included under 'other neurological conditions'. It was noted that people with intellectual and other disabilities are given the opportunity to undertake the usual testing for driver licensing, including knowledge testing, to enter the graduated driver licensing system, which is appropriate to determine their suitability to hold a licence.

A submission was received requesting the reinstatement of the intellectual impairment thresholds. This submission noted that people with intellectual impairment who pass the driver knowledge test, but could not pass on-road assessments due to the nature of their condition, devoted considerable resources to attempt to do so. Medical specialist advice noted that IQ and functional capacity do not have perfect correlation and it is difficult to use IQ thresholds to predict what someone is capable of except at the more extreme levels of impairment. Reinstatement of the standards was not supported. No changes were made.

## **3.7.5 Implications for stakeholders**

### **Driver licensing authorities**

The epilepsy and seizure criteria have been made clearer, which should improve administrative efficiency. Assessment guidance for ASD will assist decision making for these cases. Relaxing the requirements to review drivers after a stroke will ease the administrative burden for driver licensing authorities.

### **Health professionals**

The epilepsy and seizure criteria have been made clearer, which should improve assessment and management of patients. Assessment guidance for ASD will assist assessment for these cases. Relaxing the requirements to review drivers after a stroke will ease the burden for reassessing these patients for fitness to drive.

### **Drivers**

The epilepsy and seizure criteria allow a return to unconditional licensing for some patients, reducing unnecessary restrictions on these drivers. Relaxing the requirements for periodic review of drivers after a stroke will be less onerous for patients.

### 3.7.6 Medical standards for licensing – dementia and other cognitive impairment (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Dementia</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>• if the person has a diagnosis of dementia.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>• the nature of the driving task;</li> <li>• information provided by the <b>treating doctor</b> regarding the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time or memory and the likely impact on driving ability; <b>and</b></li> <li>• the results of a practical driver assessment if required (refer to Part A section 2.3.1 Practical driver assessments).</li> </ul> <p>The opinion of an appropriate specialist may also be considered.</p>	<p><b>Dementia</b> No change.</p>	<p><b>Dementia</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>• if the person has a diagnosis of dementia.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>• the nature of the driving task;</li> <li>• information provided by an <b>appropriate specialist</b> regarding the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time or memory and the likely impact on driving ability; <b>and</b></li> <li>• the results of a practical driver assessment if required (refer to Part A section 2.3.1 Practical driver assessments).</li> </ul>	<p><b>Dementia</b> No change.</p>



## MEDICAL STANDARDS FOR LICENSING – epilepsy (2016/revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>All cases (default standard)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has experienced a seizure.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>,* taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no seizures for at least <b>12 months;** and</b></li> <li>the person follows medical advice, including adherence to medication if prescribed or recommended.</li> </ul> <p>* If a driver undergoing treatment for epilepsy has experienced an extended seizure-free period (more than 10 years) the driver licensing authority may consider reduced review requirements based on independent specialist advice (refer to section 3.3.7 Independent experts/panels).</p> <p>** Shorter seizure-free periods may be considered by the driver licensing authority if the person's situation matches one of those in the remainder of this table.</p>		<p><b>All cases (default standard)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has experienced a seizure.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>,* taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no seizures for at least <b>10 years;** and</b></li> <li>an EEG conducted in the last six months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity; <b>and</b></li> <li>the person follows medical advice, including adherence to medication if prescribed or recommended.</li> </ul> <p>* If a driver undergoing treatment for epilepsy has experienced an extended seizure-free period (more than 20 years) the driver licensing authority may consider reduced review requirements based on independent specialist advice (refer to section 3.3.7 Role of independent experts/panels).</p> <p>** Shorter seizure-free periods may be considered by the driver licensing authority if</p>	<p><b>All cases (default standard)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has experienced a seizure.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>,* taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no seizures for at least <b>10 years;** and</b></li> <li>an EEG conducted in the last 6 months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity (this is only required for initial granting of the conditional licence and not for annual review); <b>and</b></li> <li>the person follows medical advice, including adherence to medication if prescribed or recommended.</li> </ul> <p><i>* If a driver undergoing treatment for epilepsy has experienced an extended seizure free period (more than 20 years) the driver</i></p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		the person's situation matches one of those in tables that follow.	<p><i>licensing authority may consider reduced review requirements based on independent specialist advice (refer to <a href="#">section 3.3.7 Role of independent experts/panels</a>).</i></p> <p><i>** Shorter seizure-free periods may be considered by the driver licensing authority if the person's situation matches one of those in the tables that follow.</i></p>
<p><b>First seizure</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no further seizures (with or without medication) for at least <b>six months</b>.</li> </ul>	<p><b>First seizure (of any type)</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there have been no further seizures (with or without medication) for at least <b>6 months</b>.</li> </ul> <p>Resumption of an <b>unconditional licence</b> may be considered by the driver licensing authority, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>antiseizure medication has not been prescribed; and</li> <li>there have been no seizures for at least <b>2 years</b>.</li> </ul>	<p><b>First seizure</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no seizures for at least <b>five years</b> (with or without medication); <b>and</b></li> <li>an EEG conducted in the last six months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity.</li> </ul>	<p><b>First seizure (of any type)</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no seizures for at least <b>5 years</b> (with or without medication); <b>and</b></li> <li>an EEG conducted in the last 6 months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity.</li> </ul> <p>Resumption of an <b>unconditional licence</b> may be considered by the driver licensing authority, taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no seizures for at least <b>10 years</b>; <b>and</b></li> </ul>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
			<ul style="list-style-type: none"> <li>an EEG conducted in the last 6 months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity.</li> </ul>
<p><b>Acute symptomatic seizures</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there have been no further seizures for at least <b>six months</b>.</li> </ul> <p>If there have been two or more separate transient disorders causing acute symptomatic seizures, the default standard applies.</p>	<p><b>Acute symptomatic seizures</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there have been no further seizures for at least <b>6 months</b>.</li> </ul> <p>If there have been two or more separate transient disorders causing acute symptomatic seizures, the default standard applies.</p> <p>Resumption of an <b>unconditional licence</b> may be considered by the driver licensing authority, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>antiseizure medication has not been prescribed; and</li> <li>there have been no seizures for at least 2 years.</li> </ul>	<p><b>Acute symptomatic seizures</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no further seizures for at least <b>12 months; and</b></li> <li>an EEG conducted in the last six months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity.</li> </ul> <p>If there have been two or more separate transient disorders causing acute symptomatic seizures, the default standard applies.</p>	<p><b>Acute symptomatic seizures</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no further seizures for at least <b>12 months; and</b></li> <li>an EEG conducted in the last 6 months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity.</li> </ul> <p>If there have been two or more separate transient disorders causing acute symptomatic seizures, the default standard applies.</p> <p>Resumption of an <b>unconditional licence</b> may be considered by the driver licensing authority, taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
			<ul style="list-style-type: none"> <li>there have been no seizures for at least <b>10 years; and</b></li> <li>an EEG conducted in the last 6 months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity.</li> </ul>
<b>History of a benign seizure or epilepsy syndrome usually limited to childhood</b> A history of a benign seizure or epilepsy syndrome usually limited to childhood does not disqualify the person from holding an unconditional licence, as long as there have been no seizures after 11 years of age. If a seizure has occurred after 11 years of age, the default standard (refer above) applies unless the situation matches one of those listed below.	No change.	<b>History of a benign seizure or epilepsy syndrome usually limited to childhood</b> A history of a benign seizure or epilepsy syndrome usually limited to childhood does not disqualify the person from holding an unconditional licence, as long as there have been no seizures after 11 years of age. If a seizure has occurred after 11 years of age, the default standard (refer above) applies unless the situation matches one of those listed below.	No change.
<b>Epilepsy treated for the first time</b> A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b> , taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met: <ul style="list-style-type: none"> <li>the person has been treated for at least <b>six months; and</b></li> <li>there have been no seizures in the preceding <b>six months; and</b></li> <li>if any seizures occurred after the start of treatment, they happened only in the first <b>six months</b> after starting treatment and not in the last <b>six months; and</b></li> </ul>	No change.	<b>Epilepsy treated for the first time</b> There is no reduction. The default standard applies.	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<ul style="list-style-type: none"> <li>the person follows medical advice, including adherence to medication.</li> </ul>			
<p><b>'Safe' seizures</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>'safe' seizures have been present for at least <b>two years</b>; and</li> <li>there have been no seizures of other type for at least <b>two years</b>; and</li> <li>the person follows medical advice with respect to medication adherence.</li> </ul> <p>If the above criteria are not met, the default standard applies.</p>	<p><b>'Safe' seizures</b></p> <p>Following text inserted in condition description:</p> <p>Isolated infrequent myoclonic jerks may be considered safe in the context of no seizures of any other type for more than 12 months.</p> <p>No other changes.</p>	<p><b>'Safe' seizures</b></p> <p>There is no reduction. The default standard applies.</p>	<p><b>'Safe' seizures</b></p> <p>No change.</p>
<p><b>Sleep-only seizures</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority, despite continuing seizures only during sleep and subject to at least <b>annual review</b>, taking into account information provided by the treating doctor as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no previous seizures while awake; and</li> <li>the first sleep-only seizure was at least <b>12 months ago</b>; and</li> <li>the person follows medical advice, including adherence to medication if</li> </ul>	<p>No change.</p>	<p><b>Sleep-only seizures</b></p> <p>There is no reduction. The default standard applies.</p>	<p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>prescribed.</p> <p><b>OR</b></p> <ul style="list-style-type: none"> <li>there have been previous seizures while awake but not in the preceding <b>two years; and</b></li> <li>sleep-only seizures have been occurring for at least <b>two years; and</b></li> <li>the person follows medical advice, including adherence to medication if prescribed.</li> </ul> <p>If the above criteria are not met, the default standard applies.</p>			
<p><b>Epilepsy treated by surgery (where the primary goal of surgery is the elimination of epilepsy)</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criterion is met:</p> <ul style="list-style-type: none"> <li>there have been no seizures for at least <b>12 months</b> following surgery.</li> </ul> <p>The vision standard may also apply if there is a visual field defect.</p> <p>If medication is withdrawn, refer to <i>Planned withdrawal of all antiepileptic medication</i>.</p>	<p><b>Epilepsy treated by surgery (where the primary goal of surgery is the elimination of epilepsy)</b></p> <p>No change.</p>	<p><b>Epilepsy treated by surgery (where the primary goal of surgery is the elimination of epilepsy)</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by a <b>specialist in epilepsy</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>there have been no seizures for at least <b>10 years; and</b></li> <li>an EEG conducted in the last six months has shown no epileptiform activity and no other EEG conducted in the last 12 months has shown epileptiform activity; <b>and</b></li> <li>the person follows medical advice with respect to medication adherence.</li> </ul> <p>The vision standard may also apply if there is a visual field defect.</p>	<p><b>Epilepsy treated by surgery (where the primary goal of surgery is the elimination of epilepsy)</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
		If any antiepileptic medication is to be withdrawn, the person will no longer meet the criteria to hold a conditional licence.	
<p><b>Seizure in a person whose epilepsy was previously well controlled</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the seizure was caused by an identified provoking factor; <b>and</b></li> <li>the provoking factor can be reliably avoided; <b>and</b></li> <li>the provoking factor has not caused previous seizures; <b>and</b></li> <li>there have been no seizures for at least <b>four weeks</b>; <b>and</b></li> <li>the person follows medical advice, including adherence to medication (periodic serum drug level measurements may be required)</li> </ul> <p><b>OR</b></p> <ul style="list-style-type: none"> <li>no cause for the seizure was identified; <b>and</b></li> <li>there have been no seizures for at least <b>three months</b>; <b>and</b></li> <li>the person follows medical advice, including adherence to medication.</li> </ul> <p>If the person has experienced one or more seizures during the 12 months leading up to</p>	<p><b>Seizure in a person under treatment whose epilepsy was previously well controlled</b></p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the seizure was caused by an identified provoking factor*; <b>and</b></li> <li>the provoking factor can be reliably avoided; <b>and</b></li> <li>the provoking factor has not caused previous seizures; <b>and</b></li> <li>there have been no seizures for at least <b>4 weeks</b>; <b>and</b></li> <li>the person follows medical advice, including adherence to medication (periodic serum drug-level measurements may be required) and avoidance of provoking factors</li> </ul> <p><b>OR</b></p> <ul style="list-style-type: none"> <li>no cause for the seizure was identified; <b>and</b></li> <li>there have been no seizures for at least <b>3 months</b>; <b>and</b></li> <li>the person follows medical advice, including adherence to medication.</li> </ul>	<p><b>Seizure in a person whose epilepsy was previously well controlled</b></p> <p>There is no reduction. The default standard applies.</p>	<p><b>Seizures in a person under treatment whose epilepsy was previously well controlled</b></p> <p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
the last seizure, there is no reduction and the default standard applies.	<p>If the person has experienced one or more seizures during the 12 months leading up to the last seizure, there is no reduction and the default standard applies.</p> <p><i>* Sleep deprivation is not considered a provoking factor for the purpose of the standards.</i></p>		
None	<p><b>Unreliable or doubtful clinical information</b></p> <p>Where the reliability of relevant clinical information is not clear (e.g. unreported seizures likely due to the person not recognising the occurrence of seizures or deliberately not reporting seizures), the person is <b>not fit</b> to hold an <b>unconditional licence</b>.</p>	None	<p><b>Unreliable or doubtful clinical information</b></p> <p>Where the reliability of relevant clinical information is not clear (e.g. unreported seizures likely due to the person not recognising the occurrence of seizures or deliberately not reporting seizures), the person is <b>not fit</b> to hold an <b>unconditional licence</b>.</p>
<p><b>Planned withdrawal of one or more anti-epileptic medications in a person who satisfies the standard to hold a conditional licence</b></p> <p>The person should not drive:</p> <ul style="list-style-type: none"> <li>during the period in which the dose is being tapered; and</li> <li>for three months after the last dose.</li> </ul> <p>If seizures recur, the driver licensing authority may allow the person to resume driving on a <b>conditional licence</b> subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p>	<p><b>Planned withdrawal of one or more antiepileptic medications in a person who satisfies the standard to hold a conditional licence</b></p> <p>The person should not drive:</p> <ul style="list-style-type: none"> <li>during the period in which the dose is being tapered; and</li> <li>for 3 months after the last dose.*</li> </ul> <p>If seizures recur, the driver licensing authority may allow the person to resume driving on a <b>conditional licence</b> subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p>	<p><b>Planned withdrawal of one or more anti-epileptic medications in a person who satisfies the standard to hold a conditional licence</b></p> <p>If anti-epileptic medication is to be withdrawn, the person will no longer meet the criteria to hold a conditional licence. Driving may continue only after consideration by the driver licensing authority under the Exceptional cases standard.</p>	No change.



PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<ul style="list-style-type: none"> <li>the previously effective medication regime is resumed; <b>and</b></li> <li>there have been no seizures for four weeks after resuming the medication regime; <b>and</b></li> <li>the person follows medical advice, including adherence to medication.</li> </ul> <p>If seizures do not recur, the person may become eligible for an unconditional licence (refer to <i>Resumption of unconditional licence</i>).</p>	<ul style="list-style-type: none"> <li>the previously effective medication regimen is resumed; <b>and</b></li> <li>there have been no seizures for 4 weeks after resuming the medication regimen; <b>and</b></li> <li>the person follows medical advice, including adherence to medication.</li> </ul> <p>If seizures do not recur, the person may become eligible for an unconditional licence (refer to <i>Resumption of unconditional licence</i> below).</p> <p><i>* If a drug is being withdrawn as part of a switch from one drug to another (e.g. to reduce teratogenic risk), the 3-month non-driving period still applies.</i></p>		
<p><b>Seizure causing a crash</b></p> <p>If a person has experienced a crash as a result of a seizure, the default seizure-free non-driving period applies, even if they fall into one of the seizure categories that allow a reduction.</p>	No change.	<p><b>Seizure causing a crash</b></p> <p>If a person has experienced a crash as a result of a seizure, the default seizure-free non-driving period applies, even if they fall into one of the seizure categories that allow a reduction.</p>	No change.
<p><b>Resumption of non-conditional licence</b></p> <p>The driver licensing authority may consider granting an <b>unconditional licence</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person has had no seizures for at least <b>five years</b>; <b>and</b></li> </ul>	<p><b>Resumption of unconditional licence</b></p> <p>Unless outlined in the possible reductions above, the driver licensing authority may consider granting an <b>unconditional licence</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person has had no seizures for at</li> </ul>	<p><b>Resumption of non-conditional licence</b></p> <p>Refer to text, page 78.</p> <p>Resumption of an unconditional commercial licence will not be considered.</p>	<p><b>Resumption of unconditional licence</b></p> <p>Unless outlined in the possible reductions above, resumption of an unconditional commercial licence will not be considered.</p> <p>Refer to text, page 78.</p> <p>Resumption of an unconditional commercial licence will not be considered.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<ul style="list-style-type: none"> <li>has taken no antiepileptic medication for at least the preceding <b>12 months</b>.</li> </ul>	<ul style="list-style-type: none"> <li>least <b>5 years</b>; and</li> <li>the person has taken no antiepileptic medication for at least the preceding <b>12 months</b>.</li> </ul>		
<p><b>Exceptional cases</b></p> <p>Where a medical specialist experienced in the management of epilepsy considers that a person with seizures or epilepsy does not meet the standards above for a conditional licence but may be safe to drive, a conditional licence may be considered by the driver licensing authority, subject to at least <b>annual review</b>:</p> <ul style="list-style-type: none"> <li>if the driver licensing authority, after considering information provided by a specialist experienced in the management of epilepsy, considers that the risk of a crash caused by a seizure is acceptably low; <b>and</b></li> <li>the person follows medical advice, including adherence to medication if prescribed or recommended.</li> </ul>	<p><b>Exceptional cases</b></p> <p>Where a <b>medical specialist</b> experienced in managing epilepsy considers that a person with seizures or epilepsy does not meet the standards in these tables for a <b>conditional licence</b> but may be safe to drive, a conditional licence may be considered by the driver licensing authority, subject to at least <b>annual review</b>:</p> <ul style="list-style-type: none"> <li>if the driver licensing authority, after considering information provided by a specialist experienced in managing epilepsy, considers that the risk of a crash caused by a seizure is acceptably low; <b>and</b></li> <li>if the person follows medical advice, including adherence to medication if prescribed or recommended.</li> </ul>	<p><b>Exceptional cases</b></p> <p>Where a specialist in epilepsy considers that a person with seizures or epilepsy does not meet the standards above for a conditional licence but may be safe to drive, a conditional licence may be considered by the driver licensing authority, subject to at least <b>annual review</b>:</p> <ul style="list-style-type: none"> <li>if the driver licensing authority, after considering information provided by a specialist experienced in the management of epilepsy, considers that the risk of a crash caused by a seizure is acceptably low; <b>and</b></li> <li>the person follows medical advice, including adherence to medication if prescribed or recommended.</li> </ul>	<p><b>Exceptional cases</b></p> <p>Where a <b>specialist in epilepsy</b> considers that a person with seizures or epilepsy does not meet the standards in these tables for a <b>conditional licence</b> but may be safe to drive, a conditional licence may be considered by the driver licensing authority, subject to at least <b>annual review</b>:</p> <ul style="list-style-type: none"> <li>if the driver licensing authority, after considering information provided by a specialist experienced in managing epilepsy, considers that the risk of a crash caused by a seizure is acceptably low; <b>and</b></li> <li>if the person follows medical advice, including adherence to medication if prescribed or recommended.</li> </ul>
<p><b>Recommended reduction in dosage of anti-epileptic medication in a person who satisfies the standard to hold a conditional licence</b></p> <p>Driving may continue</p> <ul style="list-style-type: none"> <li>if the dose reduction is due only to the presence of dose-related side effects and is unlikely to affect seizure control.</li> </ul>	<p><b>Recommended reduction in dosage of antiepileptic medication in a person who satisfies the standard to hold a conditional licence</b></p> <p>Driving may continue:</p> <ul style="list-style-type: none"> <li>if the dose reduction is due only to the presence of dose-related side effects and is unlikely to affect seizure control; or</li> </ul>	<p><b>Recommended reduction in dosage of anti-epileptic medication in a person who satisfies the standard to hold a conditional licence</b></p> <p>Driving may continue:</p> <ul style="list-style-type: none"> <li>if the dose reduction is due only to the presence of dose-related side effects and is unlikely to result in a seizure.</li> </ul>	<p><b>Recommended reduction in dosage of antiepileptic medication in a person who satisfies the standard to hold a conditional licence</b></p> <p>Driving may continue:</p> <ul style="list-style-type: none"> <li>if the dose reduction is due only to the presence of dose-related side effects and is unlikely to result in a seizure; or</li> </ul>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>In circumstances other than above, the person should not drive:</p> <ul style="list-style-type: none"> <li>during the period in which the dose reduction is being made; <b>and</b></li> <li>for <b>3 months</b> after completion of the dose reduction.</li> </ul> <p>If seizures recur, the driver licensing authority may allow the person to resume driving on a <b>conditional licence</b> subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the previously effective medication dose is resumed; <b>and</b></li> <li>there have been no seizures for <b>4 weeks</b> after resuming the previously effective dose; <b>and</b></li> <li>the person follows medical advice, including adherence to medication.</li> </ul>	<ul style="list-style-type: none"> <li>if the dose is being reduced after an increase due to a temporary situation that has now resolved (e.g. pregnancy) to the dose that was effective before the increase.</li> </ul> <p>In circumstances other than above, the person should not drive:</p> <ul style="list-style-type: none"> <li>during the period in which the dose reduction is being made; <b>and</b></li> <li>for <b>3 months</b> after completing the dose reduction.</li> </ul> <p>If seizures recur, the driver licensing authority may allow the person to resume driving on a <b>conditional licence</b> subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the previously effective medication dose is resumed; <b>and</b></li> <li>there have been no seizures for <b>4 weeks</b> after resuming the previously effective dose; <b>and</b></li> <li>the person follows medical advice, including adherence to medication.</li> </ul>	<p>In circumstances other than the above, the person will no longer meet the criteria to hold a conditional licence.</p>	<ul style="list-style-type: none"> <li>if the dose is being reduced after an increase due to a temporary situation that has now resolved (e.g. pregnancy) to the dose that was effective before the increase.</li> </ul> <p>In circumstances other than the above, the person will no longer meet the criteria to hold a conditional licence.</p>

# **MEDICAL STANDARDS FOR LICENSING – Other neurological and neurodevelopmental conditions (2016/revised 2021)**

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Aneurysms (unruptured intracranial aneurysms and other vascular malformations of the brain)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has an unruptured intracranial aneurysm or other vascular malformation at high risk of major symptomatic haemorrhage.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by an <b>appropriate specialist</b> regarding:</p> <ul style="list-style-type: none"> <li>the response to treatment.</li> </ul> <p>If treated surgically, the intracranial surgery advice applies (page 94).</p> <p>If the person has had a seizure, the seizure and epilepsy standards apply (refer to section 6.2 Seizures and epilepsy)</p>	No change.	<p><b>Aneurysms (unruptured intracranial aneurysms and other vascular malformations of the brain)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has an unruptured intracranial aneurysm or other vascular malformation.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by an <b>appropriate specialist</b> regarding:</p> <ul style="list-style-type: none"> <li>the risk of major symptomatic haemorrhage; <b>and</b></li> <li>the response to treatment.</li> </ul> <p>If treated surgically, the intracranial surgery advice applies (page 94).</p> <p>If the person has had a seizure, the seizure and epilepsy standards apply (refer to section 6.2 Seizures and epilepsy).</p>	No change.
<p><b>Cerebral palsy</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has cerebral palsy producing significant impairment of</li> </ul>	No change.	<p><b>Cerebral palsy</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has cerebral palsy producing significant impairment of any of the following:</li> </ul>	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>any of the following: visuospatial perception, insight, judgement, attention, reaction time, sensation, muscle power, coordination, vision (including visual fields).</p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by the <b>treating doctor</b> regarding the likely impact of the neurological impairment on driving ability</li> <li>results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments)</li> <li>the need for vehicle modifications.</li> </ul> <p>Periodic review is not required if the condition is static.</p>		<p>visuospatial perception, insight, judgement, attention, reaction time, sensation, muscle power, coordination, vision (including visual fields).</p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by an <b>appropriate specialist</b> regarding the likely impact of the neurological impairment on driving ability</li> <li>results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments)</li> <li>the need for vehicle modifications.</li> </ul> <p>Periodic review is not required if the condition is static.</p>	
<p><b>Head injury</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had head injury producing significant impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination, vision (including visual fields).</li> </ul>		<p><b>Head injury</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had head injury producing significant impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination, vision (including visual fields).</li> </ul>	

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>A <b>conditional licence</b> may be considered by the driver licensing authority, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task;</li> <li>information provided by the <b>treating doctor</b> regarding the likely impact of the neurological impairment on driving ability and the presence of other disabilities that may impair driving as per this publication;</li> <li>the results of neuropsychological testing if indicated; <b>and</b></li> <li>the results of a practical driver assessment if required.</li> </ul> <p>Periodic review is not required if the condition is static.</p> <p>If a seizure has occurred, refer to section 6.2 Seizures and epilepsy.</p>		<p>A <b>conditional licence</b> may be considered by the driver licensing authority, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task;</li> <li>information provided by an <b>appropriate specialist</b> regarding the likely impact of the neurological impairment on driving ability and the presence of other disabilities that may impair driving as per this publication;</li> <li>the results of neuropsychological testing if indicated; <b>and</b></li> <li>the results of a practical driver assessment if required.</li> </ul> <p>Periodic review is not required if the condition is static.</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if they have a high risk of post traumatic epilepsy [penetrating brain injury, brain contusion, subdural haematoma, loss of consciousness/alteration of consciousness or post-traumatic amnesia greater than 24 hours.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person has had no seizures for at least <b>12 months</b>.</li> </ul> <p>If a seizure has occurred, refer to section 6.2 Seizures and epilepsy.</p>	

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<b>Intracranial surgery</b> <b>A person should not drive for six months following supratentorial surgery or retraction of the cerebral hemispheres</b> (this is advisory only). If there are seizures or long-term neurological deficits, refer to section 6.2 Seizures and epilepsy or page 98.	No change.	<b>Intracranial surgery</b> <b>A person should not drive for 12 months following supratentorial surgery or retraction of the cerebral hemispheres</b> (this is advisory only). If there are seizures or long-term neurological deficits, refer to section 6.2 Seizures and epilepsy or page 98.	No change.
<b>Ménière's disease</b> Refer to the text.	<b>Ménière's disease</b> No change.	<b>Ménière's disease</b> Refer to the text.  A person requires individualised assessment by an ENT specialist.	<b>Ménière's disease</b> No change.
<b>Neuromuscular conditions (peripheral neuropathy, muscular dystrophy, etc.)</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b> : <ul style="list-style-type: none"> <li>if the person has peripheral neuropathy, muscular dystrophy or any other neuromuscular disorder that significantly impairs muscle power, sensation or coordination.</li> </ul> A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b> , taking into account: <ul style="list-style-type: none"> <li>the nature of the driving task</li> </ul>	No change.	<b>Neuromuscular conditions (peripheral neuropathy, muscular dystrophy, etc.)</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b> : <ul style="list-style-type: none"> <li>if the person has peripheral neuropathy, muscular dystrophy or any other neuromuscular disorder that significantly impairs muscle power, sensation or coordination.</li> </ul> A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b> , taking into account: <ul style="list-style-type: none"> <li>the nature of the driving task;</li> <li>information provided by an <b>appropriate specialist</b> regarding the likely impact of the impairment on driving ability</li> </ul>	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<ul style="list-style-type: none"> <li>information provided by the <b>treating doctor</b> regarding the likely impact of the impairment on driving ability</li> <li>the results of a practical driver assessment if required (refer to Part A Practical driver assessments)</li> <li>the need for vehicle modification.</li> </ul>		<ul style="list-style-type: none"> <li>the results of a practical driver assessment if required (refer to Part A Practical driver assessments)</li> <li>the need for vehicle modification.</li> </ul>	
<p><b>Parkinson's disease</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has Parkinson's disease with significant impairment of movement or reaction time or the onset of dementia.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by the <b>treating doctor</b> regarding the likely impact of the neurological impairment on driving ability and the response to treatment</li> <li>the results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments).</li> </ul>	No change.	<p><b>Parkinson's disease</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has Parkinson's disease.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by an <b>appropriate specialist</b> regarding the likely impact of the neurological impairment on driving ability and the response to treatment;</li> <li>the results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments).</li> </ul>	No change.
<b>Multiple sclerosis</b>	•	<b>Multiple sclerosis</b>	No change



PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has multiple sclerosis and significant impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination, vision (including visual fields).</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by the <b>treating doctor</b> regarding the likely impact of the neurological impairment on driving ability</li> <li>the results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments); <b>and</b></li> <li>the need for vehicle modification.</li> </ul>		<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has multiple sclerosis.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by an <b>appropriate specialist</b> regarding the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination, vision (including visual fields) and the likely impact on driving ability</li> <li>the results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments); <b>and</b></li> <li>the need for vehicle modification.</li> </ul>	
<p><b>Space-occupying lesions (including brain tumours)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had a space-occupying lesion that results in significant impairment of any of the following: visuospatial perception,</li> </ul>		<p><b>Space-occupying lesions (including brain tumours)</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had a space-occupying lesion.</li> </ul>	

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination and vision (including visual fields).</p> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by the <b>treating doctor</b> about the likely impact of the neurological impairment on driving ability</li> <li>the results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments).</li> </ul> <p>If seizures occur, the standards for seizures and epilepsy apply (refer to section 6.2 Seizures and epilepsy). If surgically treated, the advice for intracranial surgery applies.</p>		<p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by <b>an appropriate specialist</b> about the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination and vision (including visual fields) and the likely impact on driving ability; <b>and</b></li> <li>the results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments).</li> </ul> <p>If seizures occur, the standards for seizures and epilepsy apply (refer to section 6.2 Seizures and epilepsy). If surgically treated, the advice for intracranial surgery applies.</p>	
<p><b>Stroke</b></p> <p><b>A person should not drive for at least four weeks following a stroke.</b></p> <p><b>Treatable causes of stroke should be identified and managed with reference to this standard.</b></p> <p>The driver licensing authority may consider a return to driving on an</p>	<p><b>Stroke</b></p> <p>A person should not drive for at least 4 weeks following a stroke (see definition in text).</p> <p>Treatable causes of stroke should be identified and managed with reference to this standard.</p> <p>The patient may resume driving at 4 weeks, without further specialist review, where a patient</p>	<p><b>Stroke</b></p> <p><b>A person should not drive for at least three months following a stroke.</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had a stroke.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority after at least <b>three</b></p>	<p>No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>unconditional licence</b>, after at least <b>four weeks</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task;</li> <li>information provided by an <b>appropriate specialist</b> regarding the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination, vision (including visual fields). and the likely impact on driving ability; <b>and</b></li> <li>results of a practical driver assessment if required (refer to PART A, section 2.3.1 Practical driver assessments).</li> </ul> <p>The person does not require a conditional licence.</p>	<p>has been discharged early from specialist care (either inpatient or outpatient) within 4 weeks following a stroke with no neurological deficit or residual minor symptoms that do not cause functionally significant impairment of any of the following : visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination or vision (including visual fields).</p> <p>The driver licensing authority may consider a return to driving on an <b>unconditional licence</b>, after at least <b>4 weeks</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task; <b>and</b></li> <li>information provided by an <b>appropriate specialist</b> regarding the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination or vision (including visual fields); and the likely impact on driving ability; <b>and</b></li> <li>the results of a practical driver assessment if required (refer to Part A, section 2.3.1 Practical driver assessments).</li> </ul>	<p><b>months</b> and subject to at least <b>annual review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by an <b>appropriate specialist</b> regarding the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination or vision (including visual fields) and the likely impact on driving ability; <b>and</b></li> <li>the results of a practical driver assessment if required (refer to Part A section 2.3.1 Practical driver assessments).</li> </ul>	
<p><b>Subarachnoid haemorrhage</b> <b>A person should not drive for at least three months after a subarachnoid haemorrhage.</b></p>	<p><b>Subarachnoid haemorrhage</b> No change.</p>	<p><b>Subarachnoid haemorrhage</b> <b>A person should not drive for at least six months after a subarachnoid haemorrhage.</b></p>	<p><b>Subarachnoid haemorrhage</b> No change.</p>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had a subarachnoid haemorrhage.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority, after <b>three months</b> and subject to <b>periodic review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task;</li> <li>information provided by the <b>treating doctor</b> about the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination and vision (including visual fields) and the likely impact on driving ability; <b>and</b></li> <li>the results of a practical driver assessment if required (refer to Part A section 4.9 Practical driver assessments).</li> </ul>		<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has had a subarachnoid haemorrhage.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority, after <b>six months</b> and subject to <b>periodic review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by an <b>appropriate specialist</b> about the level of impairment of any of the following: visuospatial perception, insight, judgement, attention, <b>r</b>comprehension; reaction time, memory, sensation, muscle power, coordination and vision (including visual fields) and the likely impact on driving ability; <b>and</b></li> <li>the results of a practical driver assessment if required (refer to Part A section 2.3.1 Practical driver assessments).</li> </ul>	
<p><b>Transient ischaemic attacks</b>  <b>A person should not drive for at least two weeks following a TIA.</b>  A conditional licence is not required.</p>	No change.	<p><b>Transient ischaemic attacks</b>  <b>A person should not drive for at least four weeks following a TIA.</b>  A conditional licence is not required.</p>	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Other neurological conditions</b> including intellectual and developmental disorders/disabilities</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a neurological disorder that significantly impairs any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination and vision (including visual fields).</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by the <b>treating doctor</b> about the likely impact of the neurological impairment on driving ability; <b>and</b></li> <li>the results of a practical driver assessment if required (refer to Part A section 2.3.1 Practical driver assessments).</li> </ul> <p>Periodic review may not be necessary if the condition is static.</p>	<p><b>Other neurological conditions</b> including intellectual and developmental disorders/disabilities</p> <p>No change.</p>	<p><b>Other neurological conditions</b> including intellectual and developmental disorders/disabilities</p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a neurological disorder that significantly impair any of the following: visuospatial perception, insight, judgement, attention, comprehension, reaction time, memory, sensation, muscle power, coordination and vision (including visual fields).</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>information provided by an <b>appropriate specialist</b> about the likely impact of the neurological impairment on driving ability; <b>and</b></li> <li>the results of a practical driver assessment if required (refer to Part A section 2.3.1 Practical driver assessments).</li> </ul> <p>Periodic review may not be necessary if the condition is static.</p>	<p><b>Other neurological conditions</b> including intellectual and developmental disorders/disabilities</p> <p>No change.</p>

## 3.8 Psychiatric conditions

### 3.8.1 Inputs and issues

A number of stakeholders provided submissions (refer to the list below).

The review of the psychiatric conditions chapter involved consultation with representatives from the Royal Australian and New Zealand College of Psychiatrists (RANZCP). RANZCP advised that the medical standards on psychiatric disorders are generally appropriate and are working reasonably well in practice. Findings from *Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition* and other medical and fitness-to-drive studies informed the outcomes of the review.

Stakeholder submissions
<b><i>Driver licensing authorities and transport regulators</i></b> <ul style="list-style-type: none"><li>• Department of Transport (Vic)</li><li>• Department of Transport and Main Roads (Qld)</li><li>• Transport for NSW</li></ul>
<b><i>Medical/health professional stakeholders</i></b> <ul style="list-style-type: none"><li>• Australian and New Zealand Society of Occupational Medicine</li><li>• Royal Australian and New Zealand College of Psychiatrists</li></ul>

### 3.8.2 Issues and recommendations

#### Psychiatric conditions and driver assessment

In 2016, submissions were received requesting more detailed guidance on managing specific psychiatric conditions. However, no changes were made because the guidelines are oriented towards assessing the functional impact of disorders on a person's cognitive and behavioural status and particularly the person's insight, rather than specific disorders.

A number of submissions to this most recent review made similar requests for guidance and criteria for managing specific categories of psychiatric disorders including defined non-driving periods. A key finding from the MUARC report observed that no single category of disorder was associated with an increased MVC risk. Specialist advice reiterated the suitability of the current standards to manage and assess driving fitness for people with a psychiatric disorder. This is consistent with the findings from the 2016 review.

Stipulating non-driving periods was also considered to be inappropriate and is best determined through clinical judgement because treatment response is individualised and variable. Non-driving periods are to remain as determined on the physician's advice, but it was agreed that highlighting this advisory guidance would be appropriate.

Requests were made for information on the options for reporting individuals who are unwilling or unable to follow advice about restricting their driving. Edits were made to highlight this topic and to link it to the detailed reporting information in Part A.

In its submission, the RANZCP noted that only a significant new condition should require periodic review by a psychiatrist under the commercial standard. Stable, long-term conditions can be well managed by a general practitioner and do not require review by the consulting psychiatrist unless the general practitioner believes it is indicated. Similar requests have been made for other medical conditions, and there are circumstances in

the treatment of diabetes where the treating doctor can undertake the review in place of the consultant physician. Provisions in *Assessing Fitness to Drive* also allow for a general practitioner assessment where access to the consulting physician is difficult, as long as the initial assessment was performed by the consultant. In consultation with RANZCP and based on information provided in driver licensing authority feedback, this provision has been extended to periodic review for commercial drivers.

### **Red flags**

Submissions were received requesting that a description of 'red flags' be included that are contraindications for driving and may flag an advisory non-driving period until the condition has been evaluated and assessed. This content has been developed with specialist advice.

### **Psychogenic non-epileptic seizures (PNES)**

Submissions were received requesting standards for assessing PNES (aka pseudoseizures). Recent PNES and driving guidelines published by the International League Against Epilepsy were recommended as a template for these purposes. There are few studies examining the road safety risk of PNES and a targeted literature search (Appendix C - PNES) did not find enough evidence to make a conclusion on the road safety risk of this condition. However, licensing criteria are appropriate for this condition because people experiencing this condition may otherwise be managed under the default epilepsy and seizure standards. Medical specialists advised on the suitability and development of the International League Against Epilepsy's guidance for private medical standards. These criteria are under additional review and development with the Australian and New Zealand Association of Neurologists and the Royal Australian and New Zealand College of Psychiatrists.

### **Dissociative events**

A targeted literature review could find no studies that have investigated the relationship between dissociative events and MVC risk, road safety, driving or on-road driving performance (Appendix C – Dissociative events). Medical specialists advised that a dissociative event is not considered a significant road safety issue in and of itself and is highly individualised – it can occur as a symptom of other psychiatric conditions and is appropriately managed under the current standards.

### **Attention deficit/hyperactivity disorder (ADHD)**

Submissions were received to provide further information or consider medical standards for people with ADHD. Specialist advice reaffirmed that the current psychiatric disorder standards are suitable to assess these individuals. Content has been included to highlight the potential impairments associated with ADHD that can be considered under the standard, which is a similar approach to the other listed psychiatric disorders.

## **3.8.3 Implications for stakeholders**

### **Driver licensing authorities**

There is now greater clarity regarding assessment requirements for ADHD, which will assist management and support consistency. This will better support authorities to consider when an ongoing review can be performed by a general practitioner.

### **Health professionals**

This greater clarity regarding assessment requirements for ADHD will assist management and support consistency. It will better support health professionals to identify when ongoing review can be performed by a general practitioner. The addition of 'red flags' will support health professionals to manage their patients and provide clear guidance that may indicate substantial changes to a patient's fitness to drive.

### **Drivers**

New information about ADHD will support consistency and lessen uncertainty for drivers. It provides clear guidance on when management of ongoing review can be performed by a general practitioner, enhancing access and reducing the costs of ongoing reviews.



### 3.8.4 Medical standards for licensing – psychiatric disorders (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a chronic psychiatric disorder of such severity that it is likely to impair insight, behaviour, cognitive ability or perception required for safe driving.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority <b>subject to periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the condition is well controlled and the person is compliant with treatment over a substantial period; <b>and</b></li> <li>the person has insight into the potential effects of their condition on safe driving; <b>and</b></li> <li>there are no adverse medication effects that may impair their capacity for safe driving; <b>and</b></li> <li>the impact of comorbidities has been considered (e.g. substance abuse).</li> </ul>	No change.	<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a chronic psychiatric disorder of such severity that is likely to impair behaviour, cognitive ability or perception required for safe driving.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority <b>subject to periodic review</b>, taking into account the nature of the driving task and information provided by a <b>psychiatrist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the condition is well controlled and the person is compliant with treatment over a substantial period; <b>and</b></li> <li>the person has insight into the potential effects of their condition on safe driving; <b>and</b></li> <li>there are no adverse medication effects that may impair their capacity for safe driving; <b>and</b></li> <li>the impact of comorbidities has been considered (e.g. substance abuse).</li> </ul>	<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has a chronic psychiatric condition of such severity that is likely to impair behaviour, cognitive ability or perception required for safe driving.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority <b>subject to periodic review</b>, taking into account the nature of the driving task and information provided by a <b>psychiatrist*</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the condition is well controlled and the person complies with treatment over a substantial period; <b>and</b></li> <li>the person has insight into the potential effects of their condition on safe driving; <b>and</b></li> <li>there are no adverse medication effects that may impair their capacity for safe driving; <b>and</b></li> <li>the impact of comorbidities has been considered (e.g. substance abuse).</li> </ul> <p><i>* Where a condition is considered stable and well managed, the driver licensing authority may agree to ongoing periodic review by the individual's general</i></p>

			<i>practitioner with cooperation of the psychiatrist: The initial allocation of a conditional licence must, however, be based on an assessment and information provided by the psychiatrist.</i>
--	--	--	--

## 3.9 Sleep disorders

### 3.9.1 Inputs and review

A number of stakeholders provided submissions (refer to list). The review of the sleep disorders chapter involved consultation with Dr Mark Howard and Dr Shantha Rajaratnam, as representatives from the Australasian Sleep Association.

Stakeholder submissions
<b><i>Driver licensing authorities and transport regulators</i></b> <ul style="list-style-type: none"><li>• Department of Transport (Vic)</li><li>• Transport for NSW</li></ul>
<b><i>Medical/health professional stakeholders</i></b> <ul style="list-style-type: none"><li>• Australian and New Zealand Society of Occupational Medicine</li><li>• Royal Australasian College of Physicians</li></ul>
<b><i>Industry stakeholders</i></b> <ul style="list-style-type: none"><li>• Australian Trucking Association</li><li>• NatRoad</li></ul>
<b><i>Patient/carer/driver stakeholders</i></b> <ul style="list-style-type: none"><li>• Royal Automobile Club of Victoria</li></ul>

### 3.9.2 Issues and recommendations

#### Sleep apnoea

In the 2016 review, submissions were received requesting information to help identify at-risk individuals and to support a diagnosis of sleep apnoea. Clinical and physical features for sleep apnoea were included. The continued use of the Epworth Sleepiness Scale (ESS) questionnaire was questioned in some submissions. The wording has been amended to emphasise the limitations of subjective assessments such as the ESS. Stakeholders suggested that the standards include a requirement for sleep apnoea indicator assessments for commercial vehicle drivers, a request deemed out of scope of the review.

In the current review, submissions were received requesting additional information to help identify and assess sleep apnoea. Medical specialist advice provided a more detailed description of the sleep apnoea clinical assessment process to emphasise that subjective measures of sleep are only one part of establishing a diagnosis of a sleep disorder. Novel objective measures are being developed but are not yet in clinical practice. An expanded list of clinical and physical features of sleep apnoea is included to support the identification of at-risk individuals for further evaluation. This advice includes information on the availability of home testing kits.

Submissions were received again requesting the inclusion of required sleep apnoea diagnostic screening assessments for commercial vehicle drivers. This is discussed further in section 5. The above changes emphasise broader clinical assessment rather than subjective tools.

A submission queried whether a diagnosis of obstructive sleep apnoea under the commercial standards should result in a conditional licence with at least an annual review in all circumstances. Medical specialist advice recommended only sleep apnoea with associated

sleepiness requires an annual review for commercial licensing because many drivers have mild sleep apnoea without sleepiness that does not require regular review.

### **Treatment and non-driving periods**

In the 2016 review, information and examples of self-imposed driving limitations for people whose sleep disorder is being investigated was provided. In the current review we received submissions requesting further information on the typical timeframes to determine treatment outcomes and adherence, and whether these should be mandatory non-driving periods. Medical specialist advice indicated that a non-driving or restricted driving period could be considered to assess response to treatment but should be determined on a case-by-case basis. This information is advisory and determined by specialists based on an assessment of sleepiness and related driving risk. Content has been updated in section 8.2.3 Sleep apnoea.

### **Chronic fatigue syndrome**

In 2016 a submission proposed the inclusion of a standard for chronic fatigue. Specialist input noted that the functional impact of chronic fatigue and similar conditions was variable and best addressed through consideration of the general assessment principles.

A submission was received in the current review for including a standard on chronic fatigue. A targeted literature search found insufficient evidence of a road safety or MVC risk for chronic fatigue (Appendix C – Chronic fatigue). No change has been made.

## **3.9.3 Implications for stakeholders**

### **Driver licensing authorities**

The criteria remain largely unchanged. However, guidance has been given for criteria regarding sleep apnoea and treatment outcomes. We have provided greater clarity regarding assessment requirements, licensing requirements and periodic review, which will assist management and support consistency.

### **Health professionals**

The criteria remain largely unchanged. However, guidance has been given for criteria regarding sleep apnoea and treatment outcomes, providing greater clarity regarding assessment treatment outcomes for conditional licensing.

### **Drivers**

The criteria remain largely unchanged. However, guidance has been given for criteria regarding sleep apnoea and treatment outcomes.

### 3.9.4 Medical standards for licensing – sleep disorders (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Sleep apnoea</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has established sleep apnoea syndrome (sleep apnoea on a diagnostic sleep study and moderate to severe excessive daytime sleepiness*); <b>or</b></li> <li>if the person has frequent self-reported* episodes of sleepiness or drowsiness while driving; <b>or</b></li> <li>if the person has had motor vehicle crash/es caused by inattention or sleepiness; <b>or</b></li> <li>if the person, in opinion of the <b>treating doctor</b>, represents a significant driving risk as a result of a sleep disorder.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>; taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person is compliant with treatment; <b>and</b></li> <li>the response to treatment is satisfactory.</li> </ul>	No change.	<p><b>Sleep apnoea</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has established sleep apnoea syndrome (sleep apnoea on a diagnostic sleep study and moderate to severe excessive daytime sleepiness*); <b>or</b></li> <li>if the person has frequent self-reported* episodes of sleepiness or drowsiness while driving; <b>or</b></li> <li>if the person has had motor vehicle crash/es caused by inattention or sleepiness; <b>or</b></li> <li>if the person, in opinion of the <b>treating doctor</b>, represents a significant driving risk as a result of a sleep disorder.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by a <b>specialist in sleep disorders</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person is compliant with treatment; <b>and</b></li> <li>the response to treatment is satisfactory.</li> </ul>	No change.

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
* The treating doctor should not rely solely on subjective measures of sleepiness such as the ESS to rule out sleep apnoea. Refer to section 8.2.3.		* The treating doctor should not rely solely on subjective measures of sleepiness such as the ESS to rule out sleep apnoea. Refer to section 8.2.3.	
<p><b>Narcolepsy</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>• if narcolepsy is confirmed.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by a <b>specialist in sleep disorders</b> on the response to treatment.</p>	No change.	<p><b>Narcolepsy</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>• if narcolepsy is confirmed.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to at least <b>annual review</b>, taking into account the nature of the driving task and information provided by a <b>specialist in sleep disorders</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>• cataplexy has not been a feature in the past; <b>and</b></li> <li>• medication is taken regularly; <b>and</b></li> <li>• there has been an absence of symptoms for <b>six months</b>; <b>and</b></li> <li>• normal sleep latency present on MWT (on or off medication).</li> </ul>	No change.

## 3.10 Substance misuse

### 3.10.1 Inputs and review

A number of stakeholders provided submissions (refer to list). The review of the substance misuse chapter involved consultation with Prof. Edward Ogden.

Stakeholder submissions
<b><i>Driver licensing authorities and transport regulators</i></b> <ul style="list-style-type: none"><li>• Department for Infrastructure and Transport (SA)</li><li>• Department of Transport (Vic)</li><li>• Department of Transport (WA)</li><li>• Transport for NSW</li></ul>
<b><i>Medical/health professional stakeholders</i></b> <ul style="list-style-type: none"><li>• Australian and New Zealand College of Anaesthetists</li><li>• Australian and New Zealand Society of Occupational Medicine</li><li>• Australian and New Zealand Association of Neurologists</li><li>• Epilepsy Society Australia</li><li>• Royal Australasian College of Physicians</li></ul>

### 3.10.2 Issues and recommendations

#### Information on objective assessment of remission

We received submissions requesting supporting information on objective assessment of remission. Medical specialists advised that taking a clinical history from the subject to establish patterns of drug use is not sufficient for this purpose. A meta-analysis of self-reported drug use when toxicology is available for validation found that, at best, only 42 per cent of subjects correctly reported drug use (Magura & Kang 1996). Objective evidence of abstinence or reduced intake can include biological testing and can be taken into consideration by the medical professional when determining remission and assessing fitness to drive. Information has been added to highlight issues of self-report and the suitability of objective testing.

#### Substance use disorders and unconditional commercial licensing

We received submissions requesting clarification on whether the commercial standards allow a person with an alcohol use or substance use disorder to hold an unconditional licence. Medical specialist advice noted that substance addiction is a chronic relapsing disorder characterised by compulsion to take a substance and loss of self-control in limiting intake. People with a substance misuse disorder using an impairing substance (including alcohol) can be considered unfit to drive until there is evidence to the contrary. Changes have been made to the standards to clarify the criteria for alcohol use disorders.

#### Access to addiction specialists

We received a submission highlighting that access to an addiction specialist can be extremely difficult and creates an unrealistic requirement, preventing the licensing condition for periodic review from being fulfilled. On medical specialist and driver licensing authority advice, it is considered appropriate to apply the existing provision for areas where accessing a specialist is difficult (refer to Part A, section 4.4.6 What about

conditional licences for commercial vehicle drivers?). Reference to this option has been included in the medical standards table.

### **Non-driving periods**

A person with a substance misuse disorder is unfit to drive until the criteria for a conditional licence is met. This includes a period of time for the person to be in treatment and for remission to be assessed, at least one and three months for the private and commercial standards respectively. Specialist advice affirmed the suitability of such non-driving periods. They have been highlighted in the medical standards table.

## **3.10.3 Implications for stakeholders**

### **Driver licensing authorities**

This chapter provides greater clarity regarding assessment requirements, licensing requirements and periodic review, which will assist in management and support consistency. The changes will support driver licensing authorities to identify when ongoing review can be performed by a general practitioner.

### **Health professionals**

This chapter provides greater clarity regarding assessment requirements, licensing requirements and periodic review, which will assist in management and support consistency. The changes will support health professionals to identify when ongoing review can be performed by a general practitioner.

### **Drivers**

This chapter provides clear guidance on when management of ongoing review can be performed by the general practitioner, enhancing access and reducing the costs of ongoing review.



### 3.10.4 Medical standards for licensing – substance misuse (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if there is an alcohol or other substance use disorder, such as substance dependence or heavy frequent alcohol or other substance use that is likely to impair safe driving.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority <b>subject to periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person is involved in a treatment program and has been in remission* for at least <b>one month</b>; <b>and</b></li> <li>there is an absence of cognitive impairments relevant to driving; <b>and</b></li> <li>there is absence of end-organ effects that impact on driving (as described elsewhere in this publication).</li> </ul> <p>* Remission is attained when there is abstinence from use of impairing substance/s or where substance use has reduced in frequency to the point where it is unlikely to cause impairment.</p> <p>Remission may be confirmed by biological monitoring for presence of drugs.</p>	<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if there is an alcohol use disorder, such as alcohol dependence or heavy frequent alcohol use; or</li> <li>if there is a substance use disorder, such as substance dependence or other substance use that is likely to impair safe driving.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by the <b>treating doctor</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person is involved in a treatment program and has been in remission* for at least <b>1 month</b>; <b>and</b></li> <li>there is an absence of cognitive impairments relevant to driving; <b>and</b></li> <li>there is absence of end-organ effects that impact on driving (as described elsewhere in this publication).</li> </ul> <p>The person is <b>not</b> fit to drive until they meet the criteria for a conditional licence.</p> <p><i>* Remission is attained when there is abstinence from use of impairing substance(s) or where substance use has</i></p>	<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if there is an alcohol or other substance use disorder, such as substance dependence or heavy frequent alcohol use or other substance use that is likely to impair safe driving.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by an <b>appropriate specialist (such as an addiction medicine specialist or addiction psychiatrist)</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person is involved in a treatment program and has been in remission* for at least <b>three months</b>; <b>and</b></li> <li>there is an absence of cognitive impairments relevant to driving; <b>and</b></li> <li>there is absence of end-organ effects that impact on driving (as described elsewhere in this publication).</li> </ul> <p>* Remission is attained when there is abstinence from use of impairing substance/s or where substance use has reduced in frequency to the point where it is unlikely to cause impairment. Remission may be confirmed by biological monitoring for presence of drugs.</p>	<p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if there is an alcohol use disorder, such as alcohol dependence or heavy frequent alcohol use; or</li> <li>if there is a substance use disorder, such as substance dependence or other substance use that is likely to impair safe driving.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, taking into account the nature of the driving task and information provided by an <b>appropriate specialist (such as an addiction medicine specialist or addiction psychiatrist)*</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the person is involved in a treatment program and has been in remission** for at least <b>3 months</b>; <b>and</b></li> <li>there is an absence of cognitive impairments relevant to driving; <b>and</b></li> <li>there is absence of end-organ effects that impact on driving (as described elsewhere in this publication).</li> </ul> <p>The person is <b>not</b> fit to drive until they meet the criteria for a conditional licence.</p>

	<p><i>reduced in frequency to the point where it is unlikely to cause impairment. Remission may be confirmed by biological monitoring for the presence of drugs.</i></p> <p><i>An alcohol interlock may form part of the approach to managing driving for alcohol-dependent people (refer to section 9.2.2 Alcohol dependence and Appendix 5).</i></p>	<p><i>* When a condition is considered stable and well managed, the driver licensing authority may agree to ongoing periodic review by the person's general practitioner with cooperation of the other specialists. The initial granting of a conditional licence must, however, be based on information provided by the addiction medicine specialist or addiction psychiatrist.</i></p> <p><i>** Remission is attained when there is abstinence from use of impairing substance/s or where substance use has reduced in frequency to the point where it is unlikely to cause impairment. Remission may be confirmed by biological monitoring for presence of drugs.</i></p>
--	--	---

## 3.11 Vision and eye disorders

### 3.11.1 Inputs and review

A number of stakeholders provided submissions (refer to the list below).

The review of the vision and eye disorders chapter involved consultation with representatives from the Royal Australian and New Zealand College of Ophthalmologists, Optometry Australia and Orthoptics Australia. Advice on practical driver assessment was also provided by Occupational Therapy Australia and its national driving committee.

Findings from *Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition* and other medical and fitness-to-drive studies informed the outcomes of the review.

Stakeholder submissions
<b><i>Driver licensing authorities and transport regulators</i></b> <ul style="list-style-type: none"><li>• Department of Transport and Main Roads (Qld)</li><li>• Transport for New South Wales</li><li>• Department of Transport (Vic)</li></ul>
<b><i>Medical/health professional stakeholders</i></b> <ul style="list-style-type: none"><li>• Optometry Australia</li><li>• Orthoptics Australia</li><li>• Australian and New Zealand Society of Occupational Medicine</li></ul>
<b><i>Patient/carer/driver stakeholders</i></b> <ul style="list-style-type: none"><li>• Bioptic Drivers Australia</li><li>• Glaucoma Australia</li></ul>

### 3.11.2 Issues and recommendations

#### Visual acuity

Visual acuity assessment was clarified in the 2016 review with the addition of a flow chart and other minor changes. This appears to have been well received and only minor wording changes and updated references were submitted for the current review. Findings from *Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition* reiterated the challenges in defining minimum vision standards for road safety. The report found that the available evidence doesn't indicate that current standards should change, noting that the finding is limited because few drivers with a visual acuity less than 6/12 are included in the examined studies, preventing the evaluation of an alternate cut-off point.

#### Visual fields

In the 2016 review, guidance was provided to clarify the standard regarding visual fields, including:

- further advice on defining unacceptable central field loss
- information to assist in clinical assessment of visual field loss.

The risk of crash in drivers with hemianopia or quadrantanopia was confirmed to be increased, justifying the restriction.

Similar submissions were received in the current review to confirm whether the standards for visual field loss remain appropriate for people with hemianopia and quadrantanopia. Specialist advice reconfirmed that the current visual field standards remain appropriate in this regard. MUARC's report identified a negative impact of moderate to severe binocular visual field loss on driving ability and safety. Although the availability of high-quality studies for hemianopia and quadrantanopia and road safety is limited, available research has reported increased MVC risk and poorer on-road driving performance for this group. No changes to the standards have been made in this regard.

We received submissions requesting information to support deliberations on exceptional cases to the visual field defects standards. Medical specialist advice noted that there was no significant evidence that could be drawn upon to define a lower risk threshold. Individual assessment by an optometrist or ophthalmologist was emphasised, which already includes consideration of the duration of and evidence for visual adaptation, driving history (if applicable) and the nature of the driving task. It was noted that visual defects that occur in an area that would otherwise be blocked by the passenger car door (inferior field on the left side) may be able to be considered as exceptional cases so long as there was no central field defect. These factors have been included in section 10.2.2 Visual fields to provide contextual information for exceptional cases.

### **Standards for assessing contrast sensitivity**

A submission questioned whether it was appropriate to specify standards for contrast sensitivity. Medical specialist advice noted that there is no accepted standard test or cut-offs for contrast sensitivity and that evidence linking reduced contrast sensitivity to driving ability is situational and limited. The available evidence suggests contrast sensitivity would be an ineffective pre-screening tool to identify drivers who pose a road safety risk. Including a contrast sensitivity standard as part of routine vision testing was not supported. It was noted that contrast sensitivity testing may provide further information for borderline cases and when considering conditional licences, which is already provided for in the current guidance. No changes have been made.

### **Orthokeratology therapy**

A submission requested guidance on the use of orthokeratology lenses to correct visual acuity. Specialist advice on the use and licensing conditions for this therapy was provided. Orthokeratology lenses are considered safe to use when driving as long as treatment allows a person to meet the relevant visual acuity standard. Corrective lenses must be worn as per the existing standards if uncorrected visual acuity cannot be achieved through this treatment. This information is included in section 10.2.7 Orthokeratology therapy.

### **Diplopia and commercial licensing**

A submission requested clarification on the description of diplopia occurring within central fixation. Specialist advice confirmed that a person is not fit for a commercial licence, either unconditional or conditional, if they have double vision when looking up to 20 degrees from fixation. If they have double vision when looking beyond 20 degrees of fixation they are still fit for a conditional licence. Diplopia within the central 20 degrees refers to 20 degrees from central fixation and not 20 degrees across fixation. Minor text changes have been made to clarify this point.

A submission was received requesting guidance on physiological diplopia. Specialist advice reiterated that this is a natural phenomenon has no implications for driving fitness.

### **Telescopic lenses**

A number of submissions requested vision standards and licensing criteria for the use of bioptic devices and guidance for medical professionals to assist in training and use of these devices. Medical specialist advice did not support the proposed standards or criteria for conditional licensing. A consensus position supporting the use of bioptic devices could not be reached among the expert advice provided, which included recommendations to prohibit the use of bioptics to meet the visual acuity standards. Areas of consensus among medical and health professional stakeholders will be required before considering further changes to this section. It was noted that there is inconsistent approval across international fitness-to-drive standards for using these devices when driving and/or to meet visual acuity criteria. Edits were provided to the current section to update accuracy. No other changes were made to this section.

### **Role of practical driver assessment**

During the 2012 and 2016 reviews, submissions were received regarding the need to allow for practical driving assessments for people with low vision or who failed meeting the standards but would potentially be able to safely drive with a conditional licence. During those reviews, the advising experts considered on-road assessments to be inappropriate because they are unsafe and not effective in assessing ability to see emergency situations. It was not considered appropriate to grant a conditional licence based on evidence of safe driving practice (no accidents). The advisory committees at the time determined that the proper application of the standards was sufficient and that practical tests would not be recognised.

A number of submissions to the current review requested that this matter be reviewed again to permit practical driving assessments for people with low vision or who are borderline for meeting the standards. A consensus position among medical experts could not be established on the suitability of a practical driver test to identify if someone with low vision could drive safely in a range of road conditions or react appropriately in emergency situations. Areas of consensus among medical and health professional stakeholders will be required before changes can be considered. No changes have been made to this section.

### **Information on conditions that reduce visual fields and acuity**

A number of submissions requested information on various medical conditions that can cause a reduction in visual acuity or visual fields and whether non-driving periods were appropriate after diagnosis or on the commencement of treatment. The medical standards and criteria in *Assessing Fitness to Drive* are designed to manage the functional impairment of a medical condition on the driving task rather than standards for a diagnosis.

Specialist advice did not support these requests, highlighting that it is the impact of the visual impairment that should be assessed, and the evidence for a road safety risk is stronger based on impairment rather than specific diagnosis. This approach is consistent with *Influence of chronic illness on crash involvement of motor vehicle drivers: 3rd edition* conclusions and recommendations for fitness-to-drive assessment based on functional impairment.

Specialist advice also noted that accredited health professionals who assess vision are well aware of the medical conditions that produce visual deficits and that this does not need to be reproduced in *Assessing Fitness to Drive*. This advice also stressed that while non-driving periods may be appropriate, they should not be stipulated but be applied on a case-by-case basis as part of the optometrist, orthoptist or ophthalmologist report.

### **3.11.3 Implications for stakeholders**

#### **Driver licensing authorities**

Guidance and criteria for orthokeratology therapy will support management and licensing decisions regarding the use of this therapy. Guidance has been provided to assist the evaluation of exceptional cases.

#### **Health professionals**

This chapter provides greater clarity regarding assessment requirements, licensing requirements and periodic review for orthokeratology therapy, visual fields and exceptional cases. This will assist in patient management and support consistency for fitness-to-drive assessments.

#### **Drivers**

Information provided for exceptional cases should lessen uncertainty. The description of orthokeratology therapy will ensure that drivers can use this therapy.

### **3.11.4 Other issues**

Specialists made additional recommendations during the course of the medical review. These would cause significant impact for assessment or application of the standards and require extensive consultation to consider whether it is suitable to implement them.

### 3.11.5 Medical standards for licensing – vision and eye disorders (revised 2021)

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p><b>Visual acuity</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person's uncorrected visual acuity in the better eye or with both eyes together is worse than 6/12.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b> if the standard is met with corrective lenses.</p> <p>Some discretion is allowed in application of the standard by an optometrist/ophthalmologist. However, a driver licence will not be issued when visual acuity in the better eye is worse than 6/24.</p>	<p><b>Visual acuity</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person's uncorrected visual acuity in the better eye or with both eyes together is worse than 6/12.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b> if the standard is met with corrective lenses or orthokeratology therapy.</p> <p>Some discretion is allowed in application of the standard by the treating optometrist, or ophthalmologist. However, a driver licence will not be issued when visual acuity in the better eye is worse than 6/24.</p>	<p><b>Visual acuity</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person's uncorrected visual acuity is worse than 6/9 in the better eye, <b>or</b></li> <li>if the person's uncorrected visual acuity is worse than 6/18 in either eye.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority <b>subject to periodic review</b> if the standard is met with corrective lenses.</p> <p>If the person's vision is worse than 6/18 in the worse eye, a <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, provided the visual acuity in the better eye is 6/9 (with or without corrective lenses) according to the <b>treating optometrist/ophthalmologist</b>. The driver licensing authority take into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task</li> <li>the nature of any underlying disorder; <b>and</b></li> <li>any other restriction advised by the optometrist or ophthalmologist.</li> </ul>	<p><b>Visual acuity</b></p> <p>A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person's uncorrected visual acuity is worse than 6/9 in the better eye; <b>or</b></li> <li>if the person's uncorrected visual acuity is worse than 6/18 in either eye.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b> if the standard is met with corrective lenses or orthokeratology therapy.</p> <p>If the person's vision is worse than 6/18 in the worse eye, a <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>periodic review</b>, provided the visual acuity in the better eye is 6/9 (with or without corrective lenses or orthokeratology therapy) according to the <b>treating optometrist, or ophthalmologist</b>. The driver licensing authority will take into account:</p> <ul style="list-style-type: none"> <li>the nature of the driving task; <b>and</b></li> <li>the nature of any underlying disorder; <b>and</b></li> <li>any other restriction advised by the</li> </ul>

PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
			optometrist or ophthalmologist.
<p><b>Diplopia</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person experiences any diplopia (other than physiological diplopia) when fixating objects within the central 20 degrees of the primary direction of gaze.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating optometrist or ophthalmologist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the condition is managed satisfactorily with corrective lenses or an occluder; <b>and</b></li> <li>the person meets other criteria as per this section, including visual fields.</li> </ul> <p>The following licence condition may apply if corrective lenses or an occluder prevents the occurrence of diplopia.</p> <p><b>Corrective lenses or an occluder must be worn while driving.</b></p>	<p><b>Diplopia</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person experiences any diplopia (other than physiological diplopia within 20 degrees from central fixation).</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating optometrist, or ophthalmologist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the condition is managed satisfactorily with corrective lenses or an occluder; <b>and</b></li> <li>the person meets other criteria as per this section, including visual fields.</li> </ul> <p>The following licence condition may apply if corrective lenses or an occluder prevents the occurrence of diplopia.</p> <ul style="list-style-type: none"> <li>Corrective lenses or an occluder must be worn while driving. A 3-month non-driving period applies for use of occluders, in order to re-establish depth perception.</li> </ul>	<p><b>Diplopia</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b> or a <b>conditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person experiences any diplopia (other than physiological diplopia) when fixating objects within the central 20 degrees of the primary direction of gaze.</li> </ul>	<p><b>Diplopia</b> A person is not fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person experiences any diplopia (other than physiological diplopia) within 20 degrees from central fixation.</li> </ul>
<p><b>Visual fields</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the binocular visual field does not have a horizontal extent of at least</li> </ul>	<p><b>Visual fields</b> No change.</p> <p><b>Monocular vision</b> No change.</p>	<p><b>Visual fields</b> A person is <b>not</b> fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person has any visual field defect.</li> </ul>	<p><b>Visual fields</b> No change.</p> <p><b>Monocular vision</b></p>



PRIVATE		COMMERCIAL	
2016	Revised 2021	2016	Revised 2021
<p>110 degrees within 10 degrees above and below the horizontal midline; <b>or</b></p> <ul style="list-style-type: none"> <li>if there is any significant visual field loss (scotoma) within a central radius of 20 degrees of the foveal fixation or other scotoma likely to impede driving performance; <b>or</b></li> <li>if there is any significant visual field loss (scotoma) with more than four contiguous spots within a 20-degree radius from fixation.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating optometrist, or ophthalmologist</b>.</p> <p><b>Monocular vision</b></p> <p>A person is not fit to hold an <b>unconditional licence</b>:</p> <ul style="list-style-type: none"> <li>if the person is monocular.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority <b>subject to two-yearly review</b>, taking into account the nature of the driving task and information provided by the <b>treating optometrist or ophthalmologist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the visual acuity in the remaining eye is 6/12 or better, with or without correction; <b>and</b></li> <li>the visual field in the remaining eye has a horizontal extent of at least 110 degrees within 10 degrees above and below the horizontal midline.</li> </ul>		<p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating optometrist, orthoptist, or ophthalmologist</b> as to whether the following criteria are met:</p> <ul style="list-style-type: none"> <li>the binocular visual field has an extent of at least 140 degrees within 10 degrees above and below the horizontal midline</li> <li>the person has no significant visual field loss (scotoma, hemianopia, quadrantanopia) that is likely to impede driving performance</li> <li>the visual field loss is static and unlikely to progress rapidly.</li> </ul> <p><b>Monocular vision</b></p> <p>A person is not fit to hold an unconditional licence:</p> <ul style="list-style-type: none"> <li>if the person is monocular.</li> </ul> <p>A <b>conditional licence</b> may be considered by the driver licensing authority subject to <b>annual review</b>, taking into account the nature of the driving task and information provided by the <b>treating ophthalmologist or optometrist</b>, and the comments made in 10.2.2 Visual fields under the sub-heading <i>Monocular vision (one-eyed driver)</i>.</p>	<p>No change.</p>



## 4 Part C (Appendices)

---

As part of the review the NTC sought feedback on any corrections needed to information in the appendices of *Assessing Fitness to Drive*.

Driver licensing authorities provided some of the necessary information in submissions.

# 5 Out-of-scope issues

---

## 5.1 Introduction to out-of-scope issues

---

While the focus of the current review was clearly defined in the issues paper and call for submissions, stakeholders also commented on a range of matters outside the project scope but still relevant to *Assessing Fitness to Drive* and its use. Those issues are discussed in this section.

## 5.2 General issues

---

### 5.2.1 Mandatory reporting

An issue routinely raised during reviews of *Assessing Fitness to Drive* is the consideration of mandatory requirements for doctors to report patients (currently in South Australia and the Northern Territory only) to a driver licensing authority if they believe they are unfit to hold a driver licence. Doctors have concerns that their patients may elect not to disclose symptoms related to an illness for fear of being placed on a conditional licence or losing their licence completely. Medical practitioners understand they also have a duty to the broader community, in terms of advising their patients when they are not fit to drive a motor vehicle, but also to take appropriate action with the authorities if required.

Legal requirements for mandatory reporting fall under state and territory legislation, and the relevant governments must decide if they are to review any requirements for mandatory reporting.

### 5.2.2 Implementation and publication of *Assessing Fitness to Drive*

It is the NTC's goal to create national consistency of medical standards for driver licensing across Australia. However, there is a common lack of consistency in the administration and interpretation of the guidelines. Various editorial changes were made to the standard to support consistency.

Various suggestions were offered to promote greater awareness of *Assessing Fitness to Drive* and facilitate useability and application of the standards. These included:

- undertaking wider promotion
- ensuring the publication is more accessible, including via prescribing software
- development of validated toolkits, checklists and fact sheets to assist health professionals to determine and report on the fitness to drive of patients
- developing programs to train medical professionals on treatments and aids available to support people learn or return to drive
- consumer knowledge and engagement content to assist patients to manage their health and driving
- development of materials for medical practitioner continual professional development requirements.

The *Assessing Fitness to Drive* review examines the medical standards and general information in the guidelines to ensure currency, accuracy and clarity. The revision only intends to address (and correct where necessary) the medical criteria and assessment information. Education, resources and consumer information are provided through a range of

other avenues and publications (e.g. driver licensing authorities, educator groups, medical associations and public health groups). Driver licensing authorities are encouraged to develop appropriate communication and education as part of their local implementation and responsibilities for driver licensing decision making.

As for previous editions, some communication and promotion is facilitated through Austroads at the time of publication. Austroads is examining further options to support some of the above suggestions through an extended implementation program run in conjunction with the release of the new edition of *Assessing Fitness to Drive*. Austroads will publish the online and physical version of *Assessing Fitness to Drive* once ministers approve the new edition.

### **5.2.3 Fitness for duty of commercial vehicle drivers**

It has been noted during previous reviews that *Assessing Fitness to Drive* is a standard for licensing purposes. The standards do not attempt to address fitness-for-duty issues, which requires a task risk assessment that identifies the range of needs for the job or industry it is to be used in. This resulted in recommendations to develop a standalone fitness-for-duty standard for commercial vehicle drivers, particularly in the heavy-vehicle industry.

In the current review stakeholders suggested that the commercial medical standards in *Assessing Fitness to Drive* be split into two categories, similar to the National Standard for Health Assessment of Rail Safety Workers or to mandate diagnostic screening for certain conditions. Commercial licensing standards would include more stringent sleep apnoea screening, diabetes screening and cardiovascular screening for drivers where it is clinically relevant. The intent of this would be to enact a health standard for road transport to be used as a risk management approach for commercial vehicle drivers.

The NTC is developing options to suitably address and manage heavy vehicle driver health and safety. This work is being considered as part of the NTC's Heavy Vehicle National Law review (<https://www.ntc.gov.au/transport-reform/ntc-projects/hvnl-review>). The outcomes and project proposals from the Heavy Vehicle National Law review are under consideration by transport ministers.

### **5.2.4 Programs and services to support medical assessment and drivers**

Issues routinely raised during reviews of *Assessing Fitness to Drive* relate to developing and funding assessment and patient support services. In the current review, stakeholders highlighted the need for additional programs, funding and services to support the medical review process, people with a disability, learning to drive with significant medical conditions, and for drivers who have their driving privileges restricted. This included greater investment in cognitive assessment services, occupational therapist driver assessments and supporting disadvantaged community groups, particularly those living in rural and remote areas.

This is an ongoing issue that needs to be addressed by individual state and territory departments and professional bodies where relevant.

### **5.2.5 Forms**

Inconsistencies with content and application of forms are ongoing issues, which have also been noted in previous reviews of *Assessing Fitness to Drive*. Concerns were expressed about the practicality of forms for medical practitioners and their patients.

State and territory driver licensing authorities prepare and manage forms associated with driver licensing. Input from medical professionals could assist in developing the forms so they are more useful from an assessment perspective, including patient declarations that

they have been truthful in answering questions or providing a clinical history. Electronic assessment and reporting forms have previously been requested. Since the last review, electronic reporting forms and integration with practice management software has been implemented in some jurisdictions. The NTC recognises the use of electronic forms as an important advancement in managing fitness-to-drive assessments.

Stakeholders requested that the forms developed to support the conduct of health assessments for fitness for duty of commercial vehicle drivers be updated as part of this review process, including the addition of a question asking the health professional to specify how long they have treated the patient for. The intention of those forms, which are separate from *Assessing Fitness to Drive*, are to facilitate assessments required for schemes such as TruckSafe and National Heavy Vehicle Accreditation Scheme Fatigue Management Accreditation, as distinct from driver licensing.

The forms are currently available on the Austroads website and can be reproduced or modified as required. On the website it is stated that these forms are **not** to be used for driver licensing assessments. Given that these forms are separate from *Assessing Fitness to Drive* and are not to be used for driver licensing purposes, they are out of scope for this review. However, the forms will be reviewed and updated as part of Austroads' role in managing the support materials to ensure accuracy and incorporate stakeholder feedback.

### **5.2.6 Medical panels**

The role of medical panels in supporting licensing decision making was raised during previous reviews and was again raised in this review as a means of supporting fairness and consistency, particularly for difficult or borderline cases. Stakeholders have requested that all driver licensing agencies establish such panels.

The use of medical panels is described in *Assessing Fitness to Drive* Part A, section 3.3.7 Role of independent experts/panels and is at the discretion of the driver licensing agencies.

### **5.2.7 Medical exams for licensing and renewal**

Stakeholders requested the removal of the medical examinations required on initial application for a licence and after set ages. Including a request to remove eyesight testing requirements required in some jurisdictions.

Each state and territory sets their specific requirements for medical examinations (including vision tests) and road testing, depending on the driver's age or the type of vehicle being driven. The relevant agencies must decide if they wish to review any changes to the requirements for these examinations.

## **5.3 Medical issues**

---

### **5.3.1 Cardiovascular conditions**

#### **Cardiac risk screening for commercial vehicle drivers**

In this and previous reviews, stakeholders have requested that a cardiovascular risk assessment be included in the licensing criteria for commercial vehicle drivers. Drivers found to be at high risk would be referred for further tests and management as required, including a conditional licence and more frequent review if cardiovascular disease is identified.

Clinical guidance regarding the management or diagnosis of medical conditions or patient health in general is outside the scope and purpose of *Assessing Fitness to Drive*. It is designed principally to support assessments of medical conditions by health professionals and allow drivers to meet their self-report obligations regarding fitness to drive for licensing purposes. Where they are relevant to the medical licensing standards and publicly available, reference is made to existing clinical guidelines produced by the medical associations.

As outlined above (5.2.3 Fitness for duty for commercial vehicle drivers), approaches that support management of heavy vehicle driver health are under consideration as part of the Heavy Vehicle National Law review.

### **5.3.2 Diabetes**

#### **Diabetes risk assessment and testing for commercial vehicle drivers**

In this and previous reviews, stakeholders have requested to introduce diabetes screening (such as HbA1C blood tests or AUSDRISK) as a requirement for commercial licensing. *Assessing Fitness to Drive* does not provide guidance about general management of medical conditions such as diabetes but is designed principally to guide and support assessments of identified conditions made by health professionals regarding fitness to drive for licensing purposes (refer also to section 3.4.2 Issues and recommended changes). Reference is made to the National Health and Medical Research Council and to Royal Australian College of General Practitioners clinical guidelines as a resource for general diabetes management.

As outlined above (5.2.3 Fitness for duty for commercial vehicle drivers), approaches that support management of heavy vehicle driver health are under consideration as part of the Heavy Vehicle National Law review.

### **5.3.3 Sleep disorders**

#### **Diagnostic screening for commercial vehicle drivers**

As with the proposal for risk screening for commercial vehicle drivers for cardiovascular conditions and diabetes, stakeholder requests also extended to include objective screening tests for sleep apnoea in commercial vehicle drivers.

As outlined above, *Assessing Fitness to Drive* does not provide clinical guidance about management or diagnosis of medical conditions or patient health. It is designed principally to support assessments of medical conditions by health professionals and allow drivers to meet their self-report obligations regarding fitness to drive for licensing purposes. Refer also to section 3.9.2 Issues and recommendations.

As outlined above (5.2.3 Fitness for duty for commercial vehicle drivers), approaches that support management of heavy vehicle driver health are under consideration as part of the Heavy Vehicle National Law review.

### **5.3.4 Substance misuse**

#### **Treatment programs**

We received a submission requesting information on the types of treatment programs that are suitable for substance misuse disorders. Specialist advice noted that there are many clinical guidelines available and various treatments that are used in Australia. Including descriptions of these is beyond the scope of *Assessing Fitness to Drive*.

### **5.3.5 Vision**

#### **Removal of requirements for vision tests**

A stakeholder requested the removal of eyesight testing for new licence and periodic licence renewal, questioning the evidence to support this approach.

Each state and territory has specific requirements for medical examinations (including vision tests) for road testing, depending on the driver's age or the type of vehicle being driven. The relevant agencies must decide if they wish to review any changes to requirements for these examinations.

#### **Definition of health practitioners to perform vision assessments**

A submission requested that orthoptists be included as a health practitioner who can perform fitness-to-drive assessments against the vision standards. The definitions of the health professional who can perform the fitness-to-drive assessments are defined in state and territory legislation. This does not preclude a suitably accredited health professional from performing tests that contribute to the assessment.



## 6 Coronial findings summary

---

### 6.1 Introduction

---

Coronial inquests and other investigations are a valuable source of information about the impact of medical conditions on driving. To identify coronial cases relevant to the Assessing Fitness to Drive review, the NTC requested data from the National Coroner's Information Service (NCIS). The NCIS conducted a search of its database for deaths reported to a coroner in Australia and New Zealand, where the death was attributed to a medical condition that unintentionally affected fitness to drive, and where the death occurred between 1 January 2009 and 21 December 2017. The NTC also wrote to each State Coroner requesting information regarding findings in cases where the death was attributed to a medical condition affecting fitness to drive.

A total of 27 cases were identified in the NCIS report that matched the search criteria. A summary of the medical conditions related to these cases is presented in Table 2.

**Table 2. Summary of medical conditions from the NCIS report**

Medical condition	Number
Epilepsy/seizure	7
Cardiac	4
Multiple medical conditions	4
Age-related decline	4
Sleep	3
Diabetes	3
Dementia	1
Unknown	1
<b>Total</b>	<b>27</b>

### 6.2 Summary of cases

---

#### 6.2.1 Epilepsy/seizures

Epilepsy refers to the tendency to experience recurrent seizures. Seizures vary considerably and are associated with loss of awareness, even if brief or subtle, or loss of motor control, and have the potential to impair the ability to control a motor vehicle. Drivers with epilepsy are twice as likely to be involved in an MVC compared with the general driving population.

The epilepsy/seizure cases highlighted the challenges of both drivers and health professionals with managing the condition, including the importance of seizures being discussed with health professionals and reported to the driver licensing authority when appropriate. A key theme within the recommendations was to introduce mandatory reporting of medical conditions for health professionals.

The coronial cases also highlighted the unpredictable nature of the condition. For example, in one case a person was assessed as fit to drive in accordance with the *Assessing Fitness to Drive* guidelines but experienced a seizure in the future. In another case there was no history of seizures/epilepsy prior to the crash, further reflecting the complexities of this condition and its impact on driving.

### **6.2.2 Cardiac**

Cardiovascular conditions may affect the ability to drive safely due to sudden incapacity such as from a heart attack or arrhythmia. These conditions can also affect concentration and the ability to control a vehicle – that is, during the onset of symptoms. In most coronial cases where the driver had a cardiac-related condition, the condition was diagnosed and the patient had been informed not to drive. However, often the driver licensing authority had not been notified of the condition or the driver was not aware of the medical review process/outcome. One case involved a sudden cardiac arrhythmia episode that could not have reasonably been previously detected by a health professional.

### **6.2.3 Multiple medical conditions**

Where a driver has multiple medical conditions, there may be a compounding detrimental effect on driving abilities, and clinical judgement is needed to appropriately assess the driver. There were a number of cases involving multiple medical conditions including: alcoholism and brain injury; a history of chronic pain and recent falls; several medical conditions (unspecified) that resulted in the driver being tired and fatigued; and type 2 diabetes and a heart condition.

These cases highlighted the importance of drivers discussing medical history and conditions with the relevant health professional in the context of driving, so an appropriate assessment can be undertaken. It also highlights the importance of drivers following medical advice when informed they are unfit to drive. The issue of mandatory reporting requirements for health professionals was also raised, as was the issue of patients 'doctor shopping' when assessed as unfit to drive.

### **6.2.4 Diabetes**

Diabetes may affect a person's ability to drive, either through a 'severe hypoglycaemic event' or from end-organ effects on relevant functions, including effects on vision, the heart and the peripheral nerves and vasculature of the extremities, particularly the feet. The potential effects of hypoglycaemia are of most concern to road safety, particularly for those with a history of severe hypoglycaemia.

Hypoglycaemic events appeared to significantly contribute to the cases identified that involved diabetes. This highlighted the issue of drivers not reporting the condition or discussing previous hypoglycaemic events with their doctor. There were also recommendations for mandatory reporting requirements for health professionals in cases where the condition was known but not reported to the driver licensing authority.

### **6.2.5 Sleep**

Sleep disorders are associated with an increased road safety risk and can impair driving abilities such as hand-eye coordination, reaction time, vision awareness of surroundings, decision making, judgement and inhibition.

These cases mainly related to sleep apnoea and a disruption of circadian rhythm and sleep deprivation, which highlighted the general difficulties in identifying and managing sleep disorders, particularly when there is no history of the condition. The issue of mandatory reporting requirements for health professionals was also recommended where the condition was known by the health professional but not reported to the driver licensing authority.

### 6.2.6 Age-related decline

There are a variety of normal physical and mental changes that occur with ageing, along with certain medical conditions, that can affect a person's ability to drive safely. The impact of cognitive or physical decline on driving was a theme within some cases. This raised the challenges faced by health professionals with assessing an older person's fitness to drive. It also highlighted the importance of medical professionals being aware of the medical review process, and drivers being aware of their responsibilities as licence holders. Coroner recommendations also focused on providing a more streamlined reporting process at the jurisdictional level and mandatory reporting requirements for health professionals.

### 6.2.7 Dementia

Although a diagnosis of dementia on its own does not always mean that a person must give up driving straightaway, it is likely that the person will have to cease driving at some point due to a gradual decline in cognitive and physical ability. The nature and unpredictability of the condition can make it difficult for doctors to determine whether a patient should be driving or not, and drivers may lack some insight into their driving abilities. The dementia-related case highlights the importance of the medical review outcome being communicated to the driver in an efficient manner by the driver licensing authority.

## 6.3 Conclusion

---

The NCIS report provided insight into the impact of medical conditions on driving, and these cases reflect the complexities of managing medical conditions and licensure. A limitation to this analysis was the capacity to clearly identify cases where a person's fitness to drive was compromised by a medical condition. While cases are categorised by cause of death (e.g. motor vehicle accident), there is no categorisation for accidents caused by medical conditions, necessitating keyword searches of each case summary. There was also a lack of standardised terminology used in the reports for fitness to drive and inconsistency in reporting of an individual's fitness status, complicating case identification. Several cases were identified where there was uncertainty whether the medical condition impaired a person's fitness to drive.

The key themes relate to the issue of mandatory reporting for health professionals; the impact of certain medical conditions on driving (i.e. cardiac, epilepsy/seizures and sleep-related disorders); and the importance of drivers and health professionals understanding their responsibilities within the medical review system. While addressing many of the issues raised in the coroner cases are outside of scope of the current project, the NTC has reviewed and updated the *Assessing Fitness to Drive* guidelines, in consultation with medical experts and key stakeholders, to ensure the most relevant and evidence-based guidance is provided.

## Appendix A      Advisory group members

---

Name	Organisation
Derise Cubin	Access Canberra
Andrew McIntosh	Access Canberra
Bill McKinley	Australian Trucking Association
Louise Bilato	Australian Trucking Association
Dr Ramu Nachiappan	Australian College of Rural and Remote Medicine
Elaena Gardner	Austroads
Leonie Pattinson	Austroads
Fiona Landgren	Austroads/Project Health
Adam Cameron	Department for Infrastructure and Transport
Scott Swain	Department for Infrastructure and Transport
Karen Webb	Department of State Growth
Yessenia Pineda-De Leon	Department of Transport and Main Roads
A/Prof. Sjaan Koppel	Monash University Accident Research Centre
Andreas Blahous	National Heavy Vehicle Regulator
Jonathan Davey	National Transport Commission
Mandi Mees	National Transport Commission
Ron Grasso	National Transport Commission
Mohit Patiyl	National Transport Commission
Tim Davern	National Transport Commission
Emily Hicks	Office of Road Safety
Parik Lumb	Road Safety Commission
Prof. Nigel Stocks	Royal Australian College of General Practitioners
Irene Siu	Transport for NSW
Mary Drewett	Transport for NSW
Lee Chetham	Transport for NSW
Fiona Morris	VicRoads
Marilyn DiStefano	VicRoads
Dr Sanjeev Gaya	Victorian Institute of Forensic Medicine

## Appendix B Targeted consultation contributing organisations

---

<i>Medical professional organisations</i>
Audiology Australia
Australasian College of Legal Medicine
Australian College of Audiology
Australian College of Rural and Remote Medicine
Australian Diabetes Educators Association
Australian Diabetes Society
Australian Medical Association
Australian and New Zealand Association of Neurologists
Australian and New Zealand College of Anaesthetists & Faculty of Pain Medicine
Australian and New Zealand Society of Occupational Medicine
Department of Nephrology Austin Health
Epilepsy Society of Australia
Movement Disorders Society of Australia and New Zealand
Occupational Therapy Australia
Optometry Australia
Orthoptics Australia
Royal Australian College of Physicians
Royal Australian and New Zealand College of Psychiatrists
Royal College of Pathologists of Australasia
Rural Doctors Association of Australia
Stroke Society of Australasia

<i>Public health and patient groups</i>
Amputees NSW
Bioptic Drivers Australia
Dementia Australia
Diabetes Australia
Epilepsy Action Australia
Glaucoma Australia
MS Australia
National Inclusive Transport Advocacy Network (on behalf of AFDO)
Stroke Foundation

<i>Government agencies</i>
Department for Infrastructure and Transport
Department of Transport and Main Roads
Department of Transport (WA)
Department of Transport (Vic)
Transport for New South Wales

<i>Industry associations</i>
Australian Trucking Association
NatRoad
Royal Automobile Association of South Australia (RAA)
Royal Automobile Club of Queensland
Royal Automobile Club of Tasmania
Royal Automobile Club of Victoria

<i>Research/academic institutions</i>
Monash University Accident Research Centre
Victorian Institute of Forensic Medicine

# Appendix C Condition-specific road safety literature analysis

---

## Autism spectrum disorders and motor vehicle crash risk

---

No systematic reviews were identified that have investigated the relationship between ASD and motor vehicle crash (MVC) risk.

Two studies were identified that have investigated the relationship between ASD and self-reported MVC risk.

1. Daly et al. (2014) administered a survey to licensed ASD adult drivers ( $n = 78$ ) and non-ASD drivers ( $n = 94$ ) to investigate their driving history and driving behaviours (using the Driver Behaviour Questionnaire [DBQ]).

Authors noted that drivers with ASD (compared with their non-ASD counterparts) self-reported a significantly higher number of intentional violations ( $F[1, 162] = 6.15, p < 0.05$ ), mistakes ( $F[1, 162] = 10.15, p < 0.01$ ) and slips/lapses ( $F[1, 162] = 11.33, p < 0.01$ ); however, there was no significant difference across the two groups in terms of the number of self-reported MVCs ( $X^2[1, n = 172] = 3.10, p = 0.08$ ).

Nonetheless, it should be noted that these findings are based on self-report – although the authors did note that individuals with ASD may be more honest / less prone to social desirability bias than the control group. The authors were also unable to confirm ASD diagnoses.

2. Huang et al. (2012) administered a survey to parents of driving ( $n = 73$ ) and non-driving ( $n = 175$ ) teenagers with high-functioning ASD.

The authors reported that 12 per cent of independent driving teenagers (defined as drivers with restricted or unrestricted licences) had been involved in at least one at-fault MVC and noted that this rate is lower than in the general teen driving population (12 per cent vs 22 per cent, respectively).

However, it should be noted that these findings are based on the parents' self-report, are based on teenage drivers – who are also an at-risk driving population – and did not include any statistical comparisons with a control group.

Two reviews were identified that have investigated the relationship between ASD and driving performance (including on-road and driving simulator).

1. Lindsay (2017) systematically reviewed the literature related to the factors that affect driving and transportation experiences of people with ASD.

The review identified 22 studies. Thirteen focused on factors affecting driving, including challenges in obtaining a licence, driving confidence, driving behaviours and strategies to improve driving skills. Nine explored rates of transportation use, access, cost and safety. Only one study reported on MVCs (Daly et al., 2014 – see description above).

The review concluded that people with ASD encounter challenges in obtaining a driver licence as well as struggling with driving confidence and performance compared with people without ASD.

2. Wilson et al. (2018) conducted a scoping review on the peer-reviewed literature that has investigated the driving characteristics of drivers with ASD, as well as the driver training available for this cohort.

The review identified 28 studies. Seven focused on on-road driving behaviours and transport statistics reports; nine focused on performance in driving simulators; nine focused on performance in virtual reality driving; and three focused on barriers to obtaining a licence and training of drivers on the spectrum.

Based on the on-road studies (e.g. Chee et al., 2017; Cox et al., 2012):

- Drivers with ASD had more difficulty performing complex driving functions that required multitasking skills (e.g. merging and using roundabouts).
- Drivers with ASD also had more difficulty driving in heavy traffic, night driving, maintaining the correct speed, lane maintenance, judging distance and undertaking long journeys.
- Drivers with ASD had decreased manoeuvring ability (particularly in left and right-hand turns) and increased response time to traffic hazards, particularly in circumstances that required interaction with other road users (e.g. being hesitant to merge into another lane when another driver had already gestured and reduced speed to allow the manoeuvre to happen) and found slight deviations from traffic rules of other drivers – a challenge and anxiety provoking.
- However, drivers with ASD performed better than neurotypical drivers in rule following aspects of driving, such as using the indicator and checking for traffic when approaching an intersection.

Based on the driving simulator studies (e.g. Bishop et al., 2017; Brooks et al. 2016; Classen, et al., 2013; Cox et al., 2016):

- There were no between group differences across drivers with ASD and control drivers in terms of: reaction time to hazard perception and motor response time during pre-driving assessments; errors of maintenance of lane position and speed; adjustment to distractions and poorer right-sided visual acuity; response time in braking; and overall driving ability.
- However, Reimer et al. (2013) reported that drivers with ASD showed different eye-gaze patterns. When responding to added cognitive demands, they positioned their vertical gaze higher and towards distant objects with more visual diversion. This can reduce the detection of hazards on the peripheral visual field of the individuals.

Despite the differences in findings across the on-road studies and driving simulator studies, the authors concluded that drivers with ASD drive differently from their neurotypical counterparts. Specifically, they noted the shortcomings in tactical skills of drivers with ASD but noted that the extent to which this affects their own safety or the safety of other road users is unclear.

## **Conclusion**

There is not enough evidence to determine the MVC risk associated with ASD.

## **References**

Bishop, H., Biasini, F., & Stavrinou, D. (2017). Social and non-social hazard response in drivers with autism spectrum disorder. *Journal of Autism and Developmental Disorders*, 47(4), 905-917.



Brooks, J., Kellett, J., Seeanner, J., Jenkins, C., Buchanan, C., Kinsman, A., Kelly, D., & Pierce, S. (2016). Training the motor aspects of pre-driving skills of young adults with and without autism spectrum disorder. *Journal of Autism and Developmental Disorders*, 46(7), 2408-2426.

Chee, D. Y., Lee, H. C., Patomella, A.-H., & Falkmer, T. (2017). Driving behaviour profile of drivers with autism spectrum disorder (ASD). *Journal of Autism and Developmental Disorders*, 47(9), 2658-2670.

Classen, S., Monahan, M., & Wang, Y. (2013). Driving characteristics of teens with attention deficit hyperactivity and autism spectrum disorder. *American journal of occupational therapy*, 67(6), 664-673.

Cox, S.M., Cox, D.J., Kofler, M.J., Moncrief, M.A., Johnson, R.J., Lambert, A.E., Cain, S.A., Reeve, R.E. (2016). Driving simulator performance in novice drivers with autism spectrum disorder: the role of executive functions and basic motor skills. *Journal of Autism and Developmental Disorders*, 46(4), 1379-1391.

Cox, N. B., Reeve, R. E., Cox, S. M., & Cox, D. J. (2012). Brief report: Driving and young adults with ASD: parents' experiences. *Journal of Autism and Developmental Disorders*, 42(10), 2257-2262.

Daly, B. P., Nicholls, E. G., Patrick, K. E., Brinckman, D. D., & Schultheis, M. T. (2014). Driving behaviors in adults with autism spectrum disorders. *Journal of Autism and Developmental Disorders*, 44(12), 3119-3128.

Huang, P., Kao, T., Curry, A. E., & Durbin, D. R. (2012). Factors associated with driving in teens with autism spectrum disorders. *Journal of Developmental & Behavioral Pediatrics*, 33(1), 70-74

Lindsay, S. (2017). Systematic review of factors affecting driving and motor vehicle transportation among people with autism spectrum disorder. *Disability and Rehabilitation*, 39(9), 837-846.

Reimer, B., Fried, R., Mehler, B., Joshi, G., Bolfek, A., Godfrey, K. M., Zhao, N., Goldin, R., & Biederman, J. (2013). Brief report: Examining driving behavior in young adults with high functioning autism spectrum disorders: a pilot study using a driving simulation paradigm. *Journal of Autism and Developmental Disorders*, 43(9), 2211-2217.

Wilson, N. J., Lee, H. C., Vaz, S., Vindin, P., & Cordier, R. (2018). Scoping review of the driving behaviour of and driver training programs for people on the autism spectrum. *Behavioural Neurology*, 2018, Article 6842306.

## Chronic fatigue syndrome and motor vehicle crash risk

---

While there is a large body of evidence that has explored the relationship between sleep disorders and motor vehicle crash (MVC) risk (see the latest MUARC compendium for the systematic review), as well as daytime sleepiness and fatigue in general, there is relatively little evidence that has explored the relationship between chronic fatigue syndrome and MVC risk.

No systematic reviews were identified that have investigated the relationship between chronic fatigue syndrome and MVC risk.

One review article was identified that has investigated the relationship between several prevalent medical conditions and the risk for drowsy-driving road MVCs.

- Smolensky et al. (2011) reviewed the potential contribution of allergic rhinitis, asthma, chronic obstructive pulmonary disease, rheumatoid arthritis/osteoarthritis, chronic fatigue syndrome and clinical sleep disorders (insomnia, obstructive sleep apnoea, narcolepsy, periodic limb movement of sleep and restless legs syndrome) – to the risk for drowsy-driving road MVCs.
- The authors concluded that, given the increasing attention given to chronic fatigue syndrome, it is unacceptable that there is an absence of literature pertaining to the relationship between chronic fatigue syndrome and drowsy-driving MVCs.

Several studies were identified that reported that they investigated the relationship between chronic fatigue and MVC risk (Bener et al., 2017; Liu et al., 2003; Sánchez-García et al., 2019); however, they did not specifically investigate chronic fatigue syndrome. For example:

- Sánchez-García et al. (2019) investigated the relationship between self-reported fatigue (including chronic fatigue) and self-reported the attentional errors while driving.
- The sample included 112 female participants (67 attending to infant children, 45 not attending to infant children) completing a questionnaire assessing both acute and chronic fatigue (using the Fatigue Assessment Scale [FAS]) and attention-related driving errors.
- The authors reported that participants attending to infant children (new mothers) had significantly higher levels of chronic fatigue than participants not attending to infants ( $n = 9.45$  vs  $n = 6.1$ ,  $p < 0.01$ ).
- The authors concluded that chronic fatigue, but not acute fatigue, acted as a mediator variable for predicting attentional errors while driving.
- However, it should be noted that the information was provided via questionnaire and therefore may be subject to recall bias. Analyses did not control for driving exposure and the study did not specifically investigate chronic fatigue syndrome. The authors highlight that chronic fatigue in general is associated with attentional errors while driving.

No studies were identified that have investigated the relationship between chronic fatigue syndrome and driving simulator performance.

No studies were identified that have investigated the relationship between chronic fatigue syndrome and on-road driving performance.

### Conclusion

There is not enough evidence to determine the MVC risk associated with chronic fatigue syndrome.

## References

- Bener, A., Yildirim, E., Özkan, T., & Lajunen, T. (2017). Driver sleepiness, fatigue, careless behavior and risk of motor vehicle crash and injury: population based case and control study. *Journal of Traffic and Transportation Engineering (English edition)*, 4(5), 496-502.
- Liu, G.-F., Han, S., Liang, D.-H., Wang, F. Z., Shi, X.-Z., Yu, J., & Wu, Z.-L. (2003). Driver sleepiness and risk of car crashes in Shenyang, a Chinese northeastern city: population-based case-control study. *Biomedical and Environmental Sciences: BES*, 16(3), 219-226.
- Sánchez-García, M., Valero-Mora, P. M., Carvajal, E., & Sanmartín, J. (2019). Chronic, but not acute, fatigue predicts self-reported attentional driving errors in mothers attending infant children. *Scientific Reports*, 9(1), 1-9.
- Smolensky, M. H., Di Milia, L., Ohayon, M. M., & Philip, P. (2011). Sleep disorders, medical conditions, and road accident risk. *Accident Analysis & Prevention*, 43(2), 533-548.

## Chronic pain and motor vehicle crash risk

---

No systematic reviews were identified that have investigated the relationship between chronic pain and motor vehicle crash (MVC) risk.

One study was identified that investigated the relationship between chronic pain and self-reported MVC risk.

- Seward et al. (2018) investigated self-reported MVCs and driving behaviour for people with chronic lower back pain ( $n = 315$ , mean age = 35.16 years, SD = 10.52).
- The authors administered a questionnaire about self-reported pain, MVCs, driving behaviour, mood and cognition over the previous 12-month period.
- The authors noted that, while people reported being more distracted, irritable and impatient with increasing pain intensity, there was no relationship between pain and MVCs.
- However, the study was limited by a small sample size. The information was provided via survey and therefore may be subject to recall bias.

One study was identified that has investigated the relationship between chronic pain and on-road driving performance.

- Veldhuijzen et al. (2006) investigated the on-road driving performance of individuals with chronic non-malignant pain, as well as measuring their driving-related skills (i.e. tracking, divided attention and memory), which were examined in a laboratory.
- The sample included 14 people with chronic non-malignant pain and 14 healthy controls, matched on age, educational level and driving experience. Participants performed a standardised on-road driving assessment during normal traffic, where the primary outcome measure was the Standard Deviation of Lateral Position (SDLP). Subjective assessments on pain intensity and driving quality were also rated. During the study, participants did not use psychotropic medication. Use of paracetamol and/or nonsteroidal anti-inflammatory drugs (NSAIDs) was discouraged but allowed.
- The authors reported a significant difference across the two groups for SDLP ( $p < 0.01$ ). The mean SDLP was higher (indicating worse highway driving performance) for people with chronic pain compared with healthy controls ( $M = 25.2$  cm,  $SD = 4.6$ , vs  $M = 20.7$  cm,  $SD = 3.4$ , respectively). The difference in SDLP scores between groups was 4.5 cm; this difference corresponds to that observed in healthy volunteers who had a BAC equivalent to 0.08 per cent (Louwerens et al. 1987).
- However, no significant group differences on mean speed, SD of speed, mean lateral position and lane excursions out of lane were observed in the adjacent lane in either group.
- Individuals with chronic non-malignant pain rated their driving quality to be normal, although their ratings were significantly lower than those of the healthy controls. No significant differences were observed across the two groups in terms of the driving-related skills examined in the laboratory.

The authors concluded that a subset of individuals with chronic nonmalignant pain had SDLPs that were higher than healthy controls, which resulted in an overall statistically significant difference.

The authors recommended that future studies focus on identifying the complex interaction between treatment efficiency and adverse drug effects given that chronic pain is often treated with psychotropic medicinal drugs, which are likely to affect driving ability.

The study was limited by a small sample size.

## **Conclusion**

There is not enough evidence to determine the MVC risk associated with chronic pain.

## **References**

Louwerens, J., Gloerich, A., & De Vries, G. (1987). The relationship between drivers' blood alcohol concentration (BAC) and actual driving performance during high speed travel. Paper presented at the Proceedings of the 10th International Conference on Alcohol, Drugs and Traffic Safety, Amsterdam.

Seward, J., Trost, Z., Altridge, N., Stavrinou, D., & Moore, D. (2018). Driving behavior in chronic low back pain: a preliminary self-report study. *The Journal of Pain*, 19(3), S38.

Veldhuijzen, D. S., Van Wijck, A., Wille, F., Verster, J. C., Kenemans, J., Kalkman, C., . . . Volkerts, E. R. (2006). Effect of chronic nonmalignant pain on highway driving performance. *Pain*, 122(1-2), 28-35.

## **Dissociative events/episodes and motor vehicle crash risk**

---

No systematic reviews were identified that have investigated the relationship between dissociative episodes/events and motor vehicle crash (MVC) risk.

No studies were identified that have investigated the relationship between dissociative episodes/events and:

- MVC risk
- road safety
- driving
- on-road driving performance.

### **Conclusion**

There is not enough evidence to determine the MVC risk associated with dissociative episodes/events.

### **References**

None identified.

## Haemodialysis for kidney disease and motor vehicle crash risk

---

No systematic reviews were identified that have investigated the relationship between haemodialysis for kidney disease and motor vehicle crash (MVC) risk, nor kidney or renal disease/disorders and MVC risk.

One meta-analysis was identified that has investigated the relationship between renal disorders and MVC risk:

- Vaa (2003) conducted a meta-analysis that explored the relationships between health impairments and diseases and their relative risks of MVC involvement.
- Vaa noted that renal disorders (including both kidney disease and renal disease) were the only main category of health impairment that were not associated with an increased risk of MVC involvement (RR = 0.87, 95 per cent CI 0.54–1.34).
- However, Vaa cautioned this finding based on a limited number of studies ( $n = 3$ ).

One review article was identified that has investigated the relationship between chronic kidney disease and driving fitness (Kepecs et al., 2018). The authors identified and reviewed five studies but noted that these studies include minimal data available at the early stages of the disease and that only two studies were published at a time when modern end-stage renal disease therapies were routinely provided.

Vats and Duffy (2010) administered a survey to 186 participants currently undergoing dialysis (haemodialysis:  $n = 161$ ; peritoneal:  $n = 20$ ; home haemodialysis:  $n = 5$ ) related to their medical history and medication use, as well as high-risk driving behaviours and risk factors for impaired driving.

The authors ‘arbitrarily’ divided participants into two groups based on characteristics from their driving and medical history:

- Participants ( $n = 15$ ) defined at ‘absolute’ risk for unsafe driving demonstrated a history of fainting during driving or falling asleep at the wheel.
- Participants ( $n = 136$ ) defined at ‘relative’ risk for unsafe driving demonstrated a history of sleep apnoea or loud snoring, weakness prior to dialysis, or a self-reported history of episodes of hypoglycaemia.
- Responses provided by the remaining participants ( $n = 35$ ) did not classify them into one of the risk categories.

The authors compared participants from the ‘absolute’ risk and ‘relative’ risk groups in terms of their self-reported comfort while driving, as well as the number of MVCs since initiation of dialysis:

- Of the 15 participants at ‘absolute risk’, 10 (66.7 per cent) were still driving to and from dialysis; only eight (53.3 per cent) reported that they were comfortable driving; and seven (46.7 per cent) reported being involved in an MVC.
- Of the participants at ‘relative’ risk, 60 (44.1 per cent) were still driving to and from dialysis; 64 (47.1 per cent) reported they were comfortable driving; and 30 (22.1 per cent) reported being involved in an MVC.

However, the authors did not compare the MVC rate across the two groups statistically; information was provided via survey and therefore may be subject to recall bias. There was no control group (i.e. participants **not** undergoing dialysis) to determine the MVC rate associated with dialysis.

Varela et al. (2015) recruited 106 participants undergoing dialysis (average age 53.4 years) and examined the utility of the American Medical Association's (AMA) 'Am I A Safe Driver' survey:

- 15 per cent of dialysis patients reported being involved in an MVC in the preceding three years, which is higher than the annual MVC rate for age-matched drivers in the general American driving population (3–4 per cent).
- The authors concluded that the AMA survey was sensitive but not specific for identifying drivers with 'absolute' or 'relative' risk factors for unsafe driving, as defined in by Vats & Duffy (2010).

However, the authors did not compare the MVC rate across the two groups statistically; information was provided via survey and therefore may be subject to recall bias.

Kepecs et al. (2018) concluded that the relationship between chronic kidney disease and MVC risk and/or driving safety remains poorly understood and that their review is limited by the lack of randomised control studies.

No studies were identified that have investigated the relationship between haemodialysis for kidney disease and on-road driving performance.

## **Conclusion**

There is not enough evidence to determine the MVC risk associated with haemodialysis for kidney disease.

## **References**

Kepecs, D. M., Glick, L., Silver, S. A., & Yuen, D. A. (2018). Does chronic kidney disease–induced cognitive impairment affect driving safety? *Canadian Journal of Kidney Health and Disease*, 5, 2054358118777133.

Vaa, T. (2003). *Impairments, diseases, age and their relative risks of accident involvement: results from meta-analysis* (Vol. 690): Institute of Transport Economics Oslo.

Vats, H. S., & Duffy, D. P. (2010). Assessment of self-perceived risk and driving safety in chronic dialysis patients. *Dialysis & Transplantation*, 39(2), 63-68.

Varela, D., Mallawaarachchi, I., & Bandon, P. (2015). A diagnostic screening tool for identifying safe drivers among dialysis patients. *Clinical Nephrology*, 83, 22-8.



## Psychogenic non-epileptic seizures (PNES) and motor vehicle crash risk

---

While there is a large body of evidence that has explored the relationship between epilepsy and motor vehicle crash (MVC) risk (see the latest MUARC compendium for the systematic review), there is relatively little evidence that has explored the relationship between PNES and MVC risk (Kang & Mintzer, 2016).

No systematic reviews were identified that have investigated the relationship between PNES and MVC risk.

Only one study was identified that investigated the relationship between PNES and MVC risk:

- Benbadis et al. (2000) studied 20 people with PNES (diagnosed by prolonged EEG-video monitoring).
- The authors obtained the participants' driving records over a five-year period from the Wisconsin Department of Transportation and used the 1991 Wisconsin MVC data as the reference year.
- The authors noted that no individual with PNES had any licence/driving restrictions.
- The authors noted individuals with PNES did not have a significantly higher number of MVCs ( $n = 8$ , no fatal MVCs) compared with the general driving population – even if they assumed that all MVCs were the result of the individuals experiencing a PNES at the time of the MVC ('worst-case-scenario' assumption).
- The authors noted several limitations, including the small sample size and the fact that they did not account for driving exposure, acknowledging that the results should be interpreted with caution.

No studies were identified that have investigated the relationship between PNES and on-road driving performance.

Asadi-Pooya and Homayoun (2020) recently investigated the rate of driving for 221 people with PNES:

- The authors noted that 21.7 per cent regularly drove a vehicle, and that being male (OR = 13.2; 95 per cent CI 4.98–35.45;  $p < 0.001$ ) and employed (OR = 8.08; 95 per cent CI 3.16–20.69;  $p < 0.001$ ) was significantly associated with driving.
- Although the authors made no conclusions about the MVC risk or road safety issues associated with PNES, they noted the lack of research in this area and recommended that fitness-to-drive guidelines be developed for drivers with PNES.

A report published by the International League Against Epilepsy summarised the views of international experts regarding PNES-related driving regulations (Asadi-Pooya et al., 2020):

- While most health professional thought the restrictions were appropriate, the authors recommended that fitness-to-drive decisions should be made at an individual level.
- Asadi-Pooya et al. concluded that until the evidence regarding MVC risk for drivers with PNES is established, their proposed algorithm could guide decisions about driving advice.

### Conclusion

There is not enough evidence to determine the MVC risk associated with PNES/pseudoseizures.

## References

- Asadi-Pooya, A. A., & Homayoun, M. (2020). Driving in patients with psychogenic nonepileptic seizures. *Epilepsy & Behavior*, 105, 106991.
- Asadi-Pooya, A. A., Nicholson, T. R., Pick, S., Baslet, G., Benbadis, S. R., Beghi, M., . . . Dworetzky, B. (2020). Driving a motor vehicle and psychogenic nonepileptic seizures: ILAE Report by the Task Force on Psychogenic Nonepileptic Seizures. *Epilepsia Open*, 5(3), 371-385.
- Benbadis, S. R., Blustein, J. N., & Sunstad, L. (2000). Should patients with psychogenic nonepileptic seizures be allowed to drive? *Epilepsia*, 41(7), 895-897.
- Kang, J. Y., & Mintzer, S. (2016). Driving and epilepsy: a review of important issues. *Current Neurology and Neuroscience Reports*, 16(9), 80.

## Vestibular disorders and motor vehicle crash risk

---

No systematic reviews were identified that have investigated the relationship between vestibular disorders and motor vehicle crash (MVC) risk.

One study was identified that investigated the relationship between vestibular disorders and MVC risk:

- Cohen et al. (2003) administered the Driving Habits Questionnaire (DHQ) to people who had been diagnosed with impairments of the peripheral vestibular system and all experienced vertigo (benign paroxysmal position vertigo [BPPV]:  $n = 34$ ; chronic vestibulopathy:  $n = 27$ ; Ménière's disease:  $n = 48$ ; postoperative:  $n = 9$ ; acoustic neuroma:  $n = 7$ ; nerve section:  $n = 2$ ), as well as to healthy controls ( $n = 51$ ), to explore self-reported driving impairment and MVCs resulting from dizziness.
- The authors noted that there were no differences across the two groups in terms of self-reported MVCs; however, they did not report the MVC crash rates nor the statistical comparison.
- The study was limited by its small sample size and the sample heterogeneity of vestibular disorders; information was provided via survey and therefore may be subject to recall bias.

One study was identified that investigated the relationship between vestibular disorders and on-road driving performance:

- MacDougall et al. (2009) conducted an on-road study to compare the driving performance of individuals with bilateral vestibular loss (BVL,  $n = 3$ ) and aged-matched controls ( $n = 3$ ).
- The authors assessed point-of-regard (i.e. what the driver was looking at and attending to) and head movement during difficult manoeuvres (e.g. parking, changing lanes etc.).
- Subjective assessments by a driver-trained occupational therapist and an orthoptist, as well as objective measures, identified few differences in behaviour or performance across individuals with BVL and age-matched controls.
- The authors concluded that driving was unlikely to be affected adversely due to little or no peripheral vestibular function.
- However, the results were based on the assessment of only three individuals with BVL (all of whom were aged 50 years or older) and their age-matched controls.
- Further, the participants with BVL were potentially exhibiting differing symptoms and limitations in everyday activities compared with those with unilateral paroxysmal vestibular dysfunction or Ménière's disease, which the authors admit, may be more likely to adversely affect driving ability, particularly during 'sudden vestibular challenges' (Cohen et al., 2003; MacDougall et al., 2009).

It should be noted that this search broadly investigated the relationship between vestibular disorders and MVC risk. However, due to time constraints, it was not possible to conduct separate searches for benign paroxysmal position vertigo (BPPV), chronic peripheral vestibulopathy, Ménière's disease, post-vestibular nerve section or acoustic neuroma – all of which have the potential to affect MVC risk or driving performance (Cohen et al., 2004).

### Conclusion

There is not enough evidence to determine the MVC risk associated with vestibular disorders.

## References

Cohen, H. S., Wells, J., Kimball, K. T., & Owsley, C. (2003). Driving disability and dizziness. *Journal of Safety Research*, 34(4), 361-369.

Cohen, H. S., Wells, J., Kimball, K. T., & Owsley, C. (2004). Driving problems in patients with vestibular disorders. *Otolaryngology-Head and Neck Surgery*, 131(2), 248.

MacDougall, H. G., Moore, S. T., Black, R. A., Jolly, N., & Curthoysa, I. S. (2009). On-road assessment of driving performance in bilateral vestibular-deficient patients. *Basic and Clinical Aspects of Vertigo and Dizziness*, 1164(1), 413-418.

**National Transport Commission**  
Level 3/600 Bourke Street  
Melbourne VIC 3000  
Ph: (03) 9236 5000  
Email: [enquiries@ntc.gov.au](mailto:enquiries@ntc.gov.au)  
**[www.ntc.gov.au](http://www.ntc.gov.au)**

